

Quantification and Magnitude of Losses and Damages Resulting from the Impacts of Climate Change:

MODELLING THE TRANSFORMATIONAL IMPACTS AND COSTS OF SEA LEVEL RISE IN THE CARIBBEAN

Prepared by The CARIBSAVE Partnership for UNDP Barbados and the OECS for CARICOM Member States



SUMMARY DOCUMENT



Quantification and Magnitude of Losses and Damages Resulting from the Impacts of Climate Change: Modelling the Transformational Impacts and Costs of Sea Level Rise in the Caribbean

Copyright © United Nations Development Programme (UNDP), 2010

UNDP is the UN's global development network, advocating for change and connecting countries to knowledge, experience and resources to help people build a better life.

This publication or parts of it may be reproduced for educational or non-profit purposes without special permission from the United Nations Development Programme, provided acknowledgment of the source is made, (see citation below).

The views expressed in this publication are those of the authors and do not necessarily represent those of the United Nations, including UNDP, or its Member States.

We would like to acknowledge the assistance and work of the University of the West Indies, the Caribbean Community Climate Change Centre and INSMET in providing climate modelling data for the Caribbean, and to thank them for their work. We also express our gratitude to Rachael Blomfield and Paula Taylor-Nobbs for their tireless work on the collation, proof reading and administrative assistance in this study.

This publication has been printed using recycled paper.

This publication is to be cited as follows:

Simpson, M.C.,^{1,2} Scott, D.,^{2,3} Harrison, M.,⁴ Silver, N.,⁵ O'Keeffe, E.,⁶ Sim, R.,³ Harrison, S.,⁴ Taylor, M.,⁷ Lizcano, G.,¹ Rutty, M.,³ Stager, H.,^{2,3} Oldham, J.,³ Wilson, M.,⁷ New, M.,¹ Clarke, J.,² Day, O.J.,² Fields, N.,² Georges, J.,² Waithe, R.,² McSharry, P.¹ (2010) Quantification and Magnitude of Losses and Damages Resulting from the Impacts of Climate Change: Modelling the Transformational Impacts and Costs of Sea Level Rise in the Caribbean (Summary Document), United Nations Development Programme (UNDP), Barbados, West Indies.

1 University of Oxford, United Kingdom

2 The CARIBSAVE Partnership, West Indies

3 University of Waterloo, Canada

4 Climate Change Risk Management (CCRM)

5 Callund Consulting Limited

6 University College London, UK

7 University of the West Indies

SUMMARY DOCUMENT

Please Note: A DVD was distributed at the Cancun COP16 November/December 2010 with the 'Key Points and Summary for Policy Makers' document of this report. The DVD contains copies of the following:

1. Quantification and Magnitude of Losses and Damages Resulting from the Impacts of Climate Change: Modelling the Transformational Impacts and Costs of Sea Level Rise in the Caribbean - KEY POINTS AND SUMMARY FOR POLICY MAKERS
2. Quantification and Magnitude of Losses and Damages Resulting from the Impacts of Climate Change: Modelling the Transformational Impacts and Costs of Sea Level Rise in the Caribbean - SUMMARY DOCUMENT
3. 'Partnerships for Resilience: Climate Change and Caribbean Tourism' A short film (18 minutes) commissioned by the British Foreign and Commonwealth Office and the UK Department for International Development; Highlights adaptation measures being taken by governments, private sector and communities across the Caribbean.

Copies of these documents, the Full Document and the short film can be obtained via free download at www.caribsave.org

Contents

Contents	3
List of Tables	4
List of Figures	5
Authors List	6
1. Introduction	7
2. Climate Change Projections for the Caribbean Region under +2°C and +2.5°C Global Warming Scenarios	10
3. Implications of Sea Level Rise and Storm Surge Activity for the Caribbean Region	17
3.1 Historic Sea Level Rise Trends	17
3.2 Projections of Future Sea Level Rise	18
3.3 Impacts of Sea Level Rise and Storm Surge Activity in CARICOM Member States	21
3.3.1 Impacts of 1m and 2m Sea Level Rise Scenarios on CARICOM Countries	24
3.3.2 Impacts of 1m Sea Level Rise Combined with 1 in 100 Year Storm Surge Event	32
3.3.3 Impacts of Erosion Associated with 1m and 2m Sea Level Rise Scenarios	35
3.3.4 Sea Level Rise Adaptation Case Study: Structural Protection of CARICOM Cities	38
4. Actuarial Analysis of the Costs of Losses and Damages Associated with Sea Level Rise	42
4.1 Methodology for Economic Analysis	43
4.2 Economic Impacts of SLR for CARICOM	52
5. Conclusion and Summary for Policy Makers	59
6. Recommendations	65
6.1 Improving the Information Base for Informed Decisions	65
6.2 Adaptation Actions and Policies	70
7. Key Points for Policy Makers	72
7.1 Climate Change – Observed Trends and Projections for the 21 st Century	72
7.2 Sea Level Rise – Observed Trends and Projections for 21 st Century	74
7.3 Impacts of Sea Level Rise and Storm Surge in CARICOM Member States	74
7.4 Actuarial Analysis: Costs of Losses and Damages	77

List of Tables

Table 1: Earliest and latest years respectively at which the global threshold temperatures are exceeded in the 41 projections	12
Table 2: Projected Range of Climatic Change in the Caribbean at Global Threshold Temperatures	16
Table 3: Summary of Global Sea Level Rise Projections for 21 st Century	20
Table 4: Geospatial Data Sources Utilised in the SLR Vulnerability Assessment	23
Table 5: Summary of geophysical characteristics of CARICOM countries	25
Table 6: Impacts of a 1m Sea Level Rise in CARICOM Nations	29
Table 7: Impacts of a 2m Sea Level Rise in CARICOM Nations	30
Table 8: Impacts of 1 in 100 year Storm Surge for CARICOM Nations under a 1m SLR Scenario	33
Table 9: Impacts of Beach Erosion Associated with 1m or 2m Sea Level Rise in CARICOM Nations	37
Table 10: Coastal Protection Cost Estimates for CARICOM Cities	40
Table 11: High SLR and Mid range SLR Scenarios used in the Cost Estimation	46
Table 12: Annual Changes in GDP and Population for the A2 and B1 Scenarios	47
Table 13: Annual and Capital Costs of SLR in CARICOM Countries	52
Table 14: Annual and capital costs mid range SLR scenario 2050	54
Table 15: Annual and capital costs high range SLR scenario 2050	55
Table 16: Annual and capital costs mid range SLR scenario 2080	56
Table 17: Annual and capital costs high SLR scenario 2080	57
Table 18: Total Annual and Capital Costs of SLR in CARICOM Countries	80

List of Figures

Figure 1: Annual temperature changes according to the ensemble mean under Scenario A1B (in °C)	12
Figure 2: Annual temperature changes according to the ensemble mean under Scenario A2 (in °C) temperatures over land	13
Figure 3: Rainfall changes under Scenario A1B	14
Figure 4: Rainfall changes under Scenario A2	14
Figure 5: Maximum values within the A1B ensemble	14
Figure 6: Minimum values within the A1B ensemble	15
Figure 7: Vulnerability of Tourism Resorts in Nassau and Paradise Island, The Bahamas to SLR and Storm Surge	31
Figure 8: Vulnerability of Belize City to Combined SLR and Storm Surge	34
Figure 9: Vulnerability of Tourism Resorts in Nassau and Paradise Island, The Bahamas to SLR Induced Coastal Erosion	38
Figure 10: Extent of Coastal Protection Works Required for Belize City, Belize	41
Figure 11: Methodological Framework of Economic Analysis	45
Figure 12: Summary of Annual Costs (US \$million) on CARICOM Countries	58
Figure 13: Summary of Capital Costs (US \$million) on CARICOM Countries	58

Authors List

Dr. Murray Simpson^{1,2}

Dr. Daniel Scott^{2,3}

Dr. Mike Harrison⁴

Mr. Nick Silver⁵

Mr. Eoin O’Keeffe⁶

Mr. Ryan Sim³

Dr. Stephan Harrison⁴

Dr. Michael Taylor⁷

Dr. Gil Lizcano¹

Ms. Michelle Ritty³

Ms. Heather Stager^{2,3}

Mr. Jason Oldham³

Dr. Matthew Wilson⁷

Dr. Mark New¹

Ms. Judi Clarke²

Dr. Owen J. Day²

Mr. Nicholas Fields²

Ms. Jeanel Georges²

Ms. Roxanne Waithe²

Dr. Patrick McSharry¹

“ Climate change is the greatest challenge facing humanity at the start of the 21st Century. Failure to meet this challenge raises the spectre of unprecedented reversals in human development. ”

United Nations Development Programme (UNDP) – Human Development Report 2007/08

1 University of Oxford, United Kingdom

2 The CARIBSAVE Partnership, West Indies

3 University of Waterloo, Canada

4 Climate Change Risk Management (CCRM)

5 Callund Consulting Limited

6 University College London, UK

7 University of the West Indies

1. Introduction

The inextricable links between climate change and sustainable development have been increasingly recognised over the past decade. In 2007, the Intergovernmental Panel on Climate Change (IPCC)¹ concluded with very high confidence that climate change would impede the ability of many nations to achieve sustainable development by mid-century and become a security risk that would steadily intensify, particularly under greater warming scenarios. Article 4.8 of the United Nations Framework Convention on Climate Change (UNFCCC) lists several groups of countries that merit particular consideration for assistance to adapt to climate change “especially: (a) small island countries, (b) countries with low-lying coastal areas, c) countries with areas prone to natural disasters.” Small Island Developing States (SIDS) have characteristics which make them particularly vulnerable to the effects of climate change, sea level rise (SLR) and extreme events, including: relative isolation, small land masses, concentrations of population and infrastructure in coastal areas, limited economic base and dependency on natural resources, combined with limited financial, technical and institutional capacity for adaptation.²

The nations of CARICOM³ (the Caribbean Community) exemplify many of these characteristics, and even though they contribute less than 1% to global greenhouse gas (GHG) emissions⁴, these countries are expected to be among the earliest and most impacted by climate change in the coming decades. Caribbean coastal communities in particular will be severely threatened by the direct and indirect impacts of climate change (e.g., sea-surface temperature, sea level rise, coastal erosion, extreme events and the loss of aesthetics), which are projected to accelerate in the coming decades and compound the existing threats to natural systems and society. Dulal et al. conclude that: “If the Caribbean countries fail to adapt, they are likely to take direct and substantial economic hits to their most important industry sectors such as tourism, which depends on the attractiveness of their natural coastal environments, and agriculture (including fisheries), which are highly climate sensitive sectors. ... and significant losses ... will not only increase unemployment but have

1 Yohe, G.W., Lasco, R.D., Ahmad, Q.K., Arnell, N.W., Cohen, S.J., Hope, C., Janetos, A.C., and Perez, R.T. 2007. Perspectives on climate change and sustainability. *Climate Change 2007: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. M.L. Parry, O.F. Canziani, J.P. Palutikof, P.J. van der Linden and C.E. Hanson, (Eds.). Cambridge University Press, Cambridge, UK, 811-841.

2 Intergovernmental Panel on Climate Change (IPCC). (2007). *Climate Change 2007: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, M.L. Parry, O.F. Canziani, J.P. Palutikof, P.J. van der Linden and C.E. Hanson, EDS., Cambridge University Press, Cambridge, UK, 7-22.

3 Members of CARICOM: Antigua and Barbuda, The Bahamas, Barbados, Belize, Dominica, Grenada, Guyana, Haiti, Jamaica, Montserrat, Saint Lucia, St. Kitts and Nevis, St. Vincent and the Grenadines, Suriname, Trinidad and Tobago.

4 The Caribbean Islands contribute about 6% of the total emissions from the Latin America and Caribbean Region grouping and the Latin America and Caribbean Region is estimated to generate 5.5% of global CO₂ emissions in 2001 (UNEP, 2003). See http://maps.grida.no/go/graphic/regional_differences_in_co2_emissions_latam_and_the_caribbean

debilitating social and cultural consequences to communities.”⁵ The significance of these threats has been emphasised by key decision-makers in government through regional statements such as the CARICOM Liliendaal Declaration on Climate Change, 2009.

There remains an urgent need to improve the information-base with regard to the risks posed by climate change impacts in the Caribbean and the capacity of adaptation options to cope with different levels of climate change, so as to enable greater evidence-based adaptation assistance from the international community. In 2009, The CARIBSAVE Partnership was commissioned by the United Nations Development Programme (UNDP) Sub Regional Office for Barbados and the Organization of Eastern Caribbean States (OECS) and the UK Department for International Development to undertake Phase I of an important project to provide the CARICOM nations with an overview of modelling of climate change impacts in the region.⁶ The results and recommendations of Phase I of the project were presented to Heads of State and delegates at the Fifteenth Session of the Conference of the Parties (COP15) in Copenhagen, December 2009 and also to the CARICOM Task Force on Climate Change in January 2010.

Phase I clearly established that climate change will result in severe losses and damages to the Caribbean economy and to the livelihoods of the Caribbean people. It also emphasised, most strongly, the need for serious, comprehensive and urgent actions to be taken in the Caribbean and the importance of a further detailed assessment of the impacts and costs of climate change to the CARICOM States, in particular the impacts of SLR, to be conducted in Phase II.

This report, commissioned by the United Nations Development Programme (UNDP) Barbados and the OECS builds on the scientific foundations of Phase I and focuses on the recommendations, prioritised by the CARICOM Task Force on Climate Change and Development to be undertaken as soon as possible: (1) improving climate change modelling for taking informed decisions, and (2) improving predictions of impacts on key sectors and assessing adaptation measures. Specifically, this report provides a detailed and vigorous assessment of the losses and damages associated with SLR impacts on the population, ecosystems and key economic sectors in CARICOM. Advancements in understanding of the consequences of SLR at the regional level were accomplished through:

⁵ Dulal, H.B., Shah, K.U., Ahmad, N. 2009. Social Equity Considerations in the Implementation of Caribbean Climate change Adaptation Policies. *Sustainability*, 1(3), 363-383.

⁶ Report available from The CARIBSAVE Partnership website. See: <http://caribsave.org/index.php?id=5>.

- utilisation of newly available higher resolution geospatial data of coastal areas (satellite based Digital Elevation Models);
- improved inventories of coastal infrastructure and other assets at risk;
- the first quantification of the extent of SLR-induced erosion risk in unconsolidated coastal areas;
- a more comprehensive understanding of combined SLR and storm surge risk; and,
- the first quantification of the extent and cost of structural protection works required to protect coastal cities in CARICOM countries from SLR.

The economic implications of the impacts of climate change and required adaptation are being increasingly quantified to better inform international negotiations regarding adaptation assistance. This study provides the most detailed analysis to date of the damages and costs associated with SLR for the CARICOM nations, and builds on work completed in Phase I in 2009⁷, previous economic studies^{8,9,10} as well as recent developments identified in the Economics of Climate Change Working Group (ECA) study¹¹ estimating impacts due to climate change. The methodology incorporates top-down and bottom-up approaches (i.e., macro, meso- and micro-scales analyses) to model impacts on the economies of each CARICOM country individually. A unique strength of this economic study is that it is based on the most detailed geographic reality of coastal geomorphology and development that determine vulnerability to SLR.

Such in-depth information is essential for the Caribbean States to strategically reduce vulnerability, through investment, insurance, planning, and policy decisions, and inform negotiations regarding adaptation assistance under the Copenhagen Accord that was agreed at COP15 in Copenhagen.

7 Simpson, M.C., Scott, D., New, M., Sim, R., Smith, D., Harrison, M., Eakin, C.M., Warrick, R., Strong, A.E., Kouwenhoven, P., Harrison, S., Wilson, M., Nelson, G.C., Donner, S., Kay, R., Geldhill, D.K., Liu, G., Morgan, J.A., Kleypas, J.A., Mumby, P.J., Palazzo, A., Christensen, T.R.L., Baskett, M.L., Skirving, W.J., Elrick, C., Taylor, M., Magalhaes, M., Bell, J., Burnett, J.B., Rutt, M.K., and Overmas, M., Robertson, R. 2009. An Overview of Modeling Climate Change Impacts in the Caribbean Region with contribution from the Pacific Islands, United Nations Development Programme (UNDP), Barbados, West Indies.

8 Bueno, R., Herzfeld, C., Stanton, E.A. and Ackerman, F. 2008. The Caribbean and Climate Change: The Costs of Inaction. Stockholm Environment Institute. Accessed from <http://ase.tufts.edu/gdae/CaribbeanClimate.html>.

9 Haites, E. 2002. Assessment of the Economic Impact of Climate Change on CARICOM Countries. In: Vergara, W., ed. Environment and Socially Sustainable Development – Latin America and Caribbean. World Bank.

10 Tol, R.S.J. 2002. Estimates of the Damage Costs of Climate change: Benchmark estimates. *Environmental and Resource Economics*, 21, 47-73.

11 Economics of Climate Change Working Group (ECA). 2009. Shaping climate resilient development: a framework for decision making. Accessed from http://www.mckinsey.com/App_Media/Images/Page_Images/Offices/SocialSector/PDF/ECA_Shaping_Climate%20Resilient_Development.pdf.

2. Climate Change Projections for the Caribbean Region under +2°C and +2.5°C Global Warming Scenarios

The IPCC Fourth Assessment (AR4)¹² declared that ‘warming of the climate system is unequivocal’, with global mean temperatures warming by approximately 0.76°C between 1850–1899 and 2001–2005,¹³ and the observed increase in global average temperatures since the mid-20th Century ‘*very likely*’ the result of human activities that are increasing GHG concentrations in the atmosphere. The IPCC’s observations of how the global climate system is changing have been reinforced by more recent reports on the state of the global climate system.^{14,15}

The IPCC further emphasised that human-induced climate change has only just begun and that the pace of climate change is ‘*very likely*’ to accelerate throughout the 21st Century with continued GHG emissions at or above current rates (with the best estimate that globally averaged surface temperatures will rise by between 1.8°C and 4.0°C by 2100).¹⁶ Critically, recent observations have shown that our current rate of GHG emissions is exceeding the worst case scenarios provided by the IPCC for modelling future climate change. Remaining on this emission trajectory would exceed 2°C average global warming,^{17,18,19,20} the level of warming considered by many scientists and over 100 nations²¹, including the G8 nations²², and signatories to the Copenhagen Accord to represent “dangerous interference with the climate system” as outlined in the UNFCCC. Even if atmospheric concentrations of GHGs were somehow rapidly stabilised at current levels, the Earth would continue to warm as a result of past GHG emissions and feedbacks in the climate system.

12 Solomon, S., and D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M.Tignor, H.L. Miller (Eds.). 2007. Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press.

13 Over the past 50 years, increases in mean air temperature across the Caribbean have tracked the observed global warming trend.

14 Copenhagen Diagnosis. 2009. Allison, I., Bindoff, N.L., Bindschadler, R.A., Cox, P.M., de Noblet, N., England, M.E., Francis, J.E., Gruber, N., Haywood, A.M., Karoly, D.J., Kaser, G., Le Quéré, C., Lenton, T.M., Mann, M.E., McNeil, B.I., Pitman, A.J., Rahmstorf, S., Rignot, E., Schellnhuber, H.J., Schneider, S.H., Sherwood, S.C., Somerville, R.C.J., Steffen, K., Steig, E.J., Visbeck, M., Weaver, A.J. 2009. The Copenhagen Diagnosis, 2009: Updating the world on the Latest Climate Science, 1-60. The University of New South Wales Climate Change Research Centre (CCRC), Sydney, Australia.

15 National Oceanic and Atmospheric Administration (NOAA). 2010. 2009 State of the Climate Report. Washington: Government of USA. Accessed from http://www.noaanews.noaa.gov/stories2010/20100728_stateoftheclimate.html

16 Solomon, S., and D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M.Tignor, H.L. Miller (Eds.). 2007. Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press.

17 Anderson, K., & Bows, A. 2008. Reframing the climate change challenge in light of post-2000 emission trends. *Philosophical Transactions A*, 366(1882), 3863.

18 Allen, M.R., Frame, D.J., Huntingford, C., Jones, C.D., Lowe, J.A., Meinshausen, M., & Meinshausen, N. 2009. Warming caused by cumulative carbon emissions towards the trillionth tonne. *Nature*, 458(7242), 1163-1166.

19 Meinshausen, M., Meinshausen, N., Hare, W., Raper, S.C.B., Frieler, K., Knutti, R., Frame, D.J., & Myles, R.A. 2009. Greenhouse-gas emission targets for limiting global warming to 2°C. *Nature*, 458(7242), 1158–1162.

20 Parry, M., Lowe, J., & Hanson, C. 2009. Overshoot, adapt and recover. *Nature*, 458(7242), 1102–1103.

21 Solomon, S., and D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M.Tignor, H.L. Miller (Eds.) 2007. Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press.

22 G8. (2009). Declaration of the leaders of the major economies forum on energy and climate. Accessed from <http://www.g8italia2009.it/static/G8Allegato/MEFDeclarationI.pdf>

Future changes in temperatures, precipitation, extreme events and other important features of climate will manifest themselves differently across the world. A question posed to the research team was how would the climate of the Caribbean change comparatively if the average global temperature could be held to 2.0°C or 2.5°C above pre-industrial values. Projections from 14 Global Climate Models (GCMs) used within the IPCC Fourth Assessment^{23,24} have been assessed to examine this question. The models have been run under three of the Special Report on Emission Scenarios (SRES Scenarios) (A1B, A2 and B1) used by the IPCC to provide plausible storylines for GHG emissions through the 21st Century (but without consideration of emission reductions resulting from the Kyoto Protocol). Because projections from each GCM are not available under all SRES emission scenarios, a total 41 individual projections have been used in this analysis.

The typical approach of the IPCC is to consider climate projections from a number of GCMs at a given time slice, often presenting the results as a mean value (called the ensemble mean) and a corresponding range across the models (or members of the ensemble). In this case, with the need to examine changes in climate around times of specific increases in the average global temperature, this approach is not appropriate as the various models respond at different rates to increases in atmospheric GHGs (termed 'climate sensitivity'); hence the projections reach the threshold temperatures (+2.0°C or +2.5°C globally) over a range of dates. The earliest and latest dates when the threshold temperatures are reached are summarised in Table 1. These calculations have taken into account that there has been a 0.7°C rise in the global average temperature since pre-industrial times. Average temperature values have been calculated using 21-year periods, centred on the year that projections from each specific model/scenario combination exceeded the two specified thresholds. The results therefore do not relate to any particular year.

²³ Intergovernmental Panel on Climate Change. 2007. *Climate change 2007: Synthesis report*. Cambridge, UK: Cambridge University Press.

²⁴ Solomon, S., and D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M.Tignor, H.L. Miller (Eds.) 2007. *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press.

Table 1: Earliest and latest years respectively at which the global threshold temperatures are exceeded in the 41 projections*

SRES Scenario	1.5°C Threshold		2.0°C Threshold		2.5°C Threshold	
	Earliest	Latest	Earliest	Latest	Earliest	Latest
A1B	2023	2050	2038	2070	2053	Later than 2100
A2	2024	2043	2043	2060	2056	2077
B1	2027	2073	2049	Later than 2100	2068	Later than 2100

* - note that in some cases the threshold is not reached prior to 2100, the latest date for which the projections are available

Care should always be taken in interpreting any climate model projections. Ensemble means presented here are the optimal *deterministic* results that can be provided from the information available. However, it is unlikely that values from these ensemble means will be flawless, and therefore maximum and minimum values have been used to assess the ranges of values across all projections. Confidence in the results for temperature changes is higher than in those for rainfall changes. In addition distributions of daily maximum and minimum temperatures, rainfall and wind speeds have been assessed and are presented below.

Annual temperature changes according to the ensemble means are illustrated in Figure 1 and 2 for the A1B and A2 Scenarios respectively. The map on the left of both Figure 1 and Figure 2 illustrates changes at the 2.0°C threshold, the middle map at the 2.5°C threshold, and the map at the right the difference from the 2.0°C to the 2.5°C threshold.

Figure 1: Annual temperature changes according to the ensemble mean under Scenario A1B (in °C)





Figure 2: Annual temperature changes according to the ensemble mean under Scenario A2 (in °C) temperatures over land



Results are similar for Scenario B1 also. Warming continues over the Caribbean as the average global temperature rises. The uncertainty around these mean figures is about $\pm 0.4^{\circ}\text{C}$. The increased temperatures result from an across-the-board increase in daily temperatures, with more hot days and warm/hot nights and fewer cool days and nights, some being warmer than generally experienced at present. Average air temperatures are projected to increase in all seasons, more so in land than over oceans and in coastal locations.

Sea surface temperatures (SSTs) in the Caribbean were found to increase by similar amounts to air temperatures (maps not shown) and are projected to be similar to those for minimum air temperatures over coastal regions and islands.

Projected rainfall changes are more uncertain than those of temperature. Until the 2.0°C threshold is surpassed, the ensemble means, including that for the B1 Scenario (not shown), all suggest decreases in annual rainfall of perhaps 10-15% over much of the Caribbean (although in some areas and seasons there may be increases). Once the 2.5°C threshold is reached, there remains an overall decline in rainfall under Scenario A2 (there are insufficient data to calculate values for Scenario B1). However, under A1B there has been a general partial recovery compared to the 2.0°C threshold, as compared to the continued decrease under A2 (Figure 3 and 4). At this stage both scenarios are reasonable views of the future and there is no way to determine the greater probability between these two opposing trends. That said, the range of uncertainties in the rainfall projections is substantial, with some models suggesting increases of perhaps 40% over the Caribbean, others decreases of 40% (Figure 5 and 6 for Scenario A1B). Vulnerability assessments and adaptation planning should take into consideration this full range of possibilities.

Figure 3: Rainfall changes under Scenario A1B (scales are in ratios with values above 1.0 indicating increased rainfall)




Figure 4: Rainfall changes under Scenario A2 (scales are in ratios with values above 1.0 indicating increased rainfall)




Figure 5: Maximum values within the A1B ensemble (scales are in ratios with values above 1.0 indicating increased rainfall)





Figure 6: Minimum values within the A1B ensemble (scales are in ratios with values above 1.0 indicating increased rainfall)



Estimates have also been made of changes in daily rainfall amounts, with one anticipated result that the GCMs do not simulate daily rainfall distributions with great precision. No overriding pattern emerged from a study of the results, with some models suggesting that an increase in the frequency/intensity of heavier rainfall events might occur, and others suggesting that rainfall intensities may decrease on a daily basis. No overall conclusions may be drawn regarding daily rainfall distributions, nor for daily wind speeds, which similarly to rainfall, increase in some models and decrease in others.

Various data and sources have been investigated to elicit the response of hurricanes to global warming, including examination of rainfall trends, daily rainfall and wind speed distributions and changes in large-scale atmospheric patterns, but the conclusion remains similar to that given by the IPCC in 2007: *'Based on a range of models, it is likely that future tropical cyclones (typhoons and hurricanes) will become more intense, with larger peak wind speeds and more heavy precipitation associated with ongoing increases of tropical SSTs. There is less confidence in projections of a global decrease in numbers of tropical cyclones.'*²⁵

While some new evidence suggests that hurricanes may decline in frequency and intensity, it is not possible to be confident in this and the distinct possibility of increased frequencies/intensities cannot be denied.^{26,27,28 29,30,31}

²⁵ IPCC, 2007: Summary for Policymakers. In: Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change [Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M.Tignor and H.L. Miller (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, pp. 15.

²⁶ Holland, GJ and Webster, PJ. 2007. Heightened tropical cyclone activity in the North Atlantic: natural variability or climate trend? *Philosophical transactions of the Royal Society A-Mathematical, Physical and Engineering Sciences*, 365(1860), 2695-2716.

²⁷ Kossin, J.P., Knapp, K., Vimont, D.J., Murmane, R.J., and Harper, B.A. 2007. A globally consistent reanalysis of hurricane variability and trends, *Geophysical Research Letters*, 34 (4).

²⁸ Elsner J.B., Kossin, J.P. and Jagger, T.H. 2008. The increasing intensity of the strongest tropical cyclones *Nature* 455(7209), 92-95.

²⁹ Knutson, T., McBride, J., Chan, J., Emanuel, K., Holland, G., Landsea, C., Held, I., Kossin, J., Srivastava, A.K., Sugi, M. 2010. Tropical Cyclones and Climate Change. *Nature Geoscience*. 3, 157-163, doi:10.1038/ngeo779.

³⁰ Bengtsson, L., Hodges, K. and Keenlyside, N. 2009. Will Extratropical Storms Intensify in a Warmer Climate? *Journal of Climate*, 22(9), 2276-301.

³¹ Zhang, R., and Delworth, T.L. 2009. A new method for attributing climate variations over the Atlantic Hurricane Basin's main development region, *Geophysical Research Letters*, 36, L06701, doi:10.1029/2009GL037260.

Table 2 summarizes the projected range of temperature and precipitation changes under each of the threshold global temperature changes. Note that at the 2.5°C threshold temperature, change represents additional change relative to the 1.5°C global warming threshold.

Table 2: Projected Range of Climatic Change in the Caribbean at Global Threshold Temperatures*

Climate change effect	Change at 1.5°C global warming	Additional change at 2.0°C global warming	Additional change at 2.5°C global warming
Temperature	~-0.9°C to ~1.7°C	~-0.3°C to ~0.6°C	~-0.4°C to 0.6°C
Precipitation	~+15% to ~-35%	~+12.5% to ~-15%	~+10% to ~-5%
SST	~-0.9°C to ~1.3°C	~-0.3°C to ~0.5°C	~-0.4°C to ~0.5°C

*The values provided in this table represent the ensemble mean only and do not represent the full range of uncertainties with respect to the projected changes at the specified global threshold temperatures. This is particularly important for precipitation, where uncertainty in the sign and magnitude of change is much more substantive than for land and SSTs.

In order to provide improved spatial detail and to develop more specific information regarding the uncertainties associated with the results presented here, in particular those related to rainfall, it is recommended that a more detailed analysis of the projections, together with research to downscale the information from the global models, be undertaken for the Caribbean. This future research should also examine changes in the most intense climate events, such as those that produce heavy rainfall. Such research would support climate change impact assessments and development planning tasks at national and regional levels and provide important support to the UNFCCC Nairobi Work Programme on impacts, vulnerability and adaptation. A related recommendation is to use the higher resolution model projections due to become available in the near future, and from them to assess ranges of impact projections for the CARICOM region from which policy guidance might be obtained.

3. Implications of Sea Level Rise and Storm Surge Activity for the Caribbean Region

3.1 HISTORIC SEA LEVEL RISE TRENDS

The impacts of climate change on global and regional sea levels are complex. An important recent review has placed present and future SLR into its historical and Pleistocene context.³² For periods up to the last 900,000 years a SLR of 10m per 1,000 years (or 1m per century) was not unusual, even when the system is operating well into a warm interglacial, as now. For example, at the end of the last ice age, the Earth slowly warmed by 4°C - 7°C globally, losing two-thirds of its land ice and raising global sea level approximately 120m in the process (at rates often exceeding 1m per century).³³ It is further argued that while sea level rises up to 2m per century are unusual in the record, such rises “are well within the range of a warm system, beyond the 5-percentile of the overall range.”³⁴ Other studies have similarly concluded that there does not appear to be evidence that the present ice-sheet configuration would rule out similar rates of SLR under future global warming.³⁵

Although present rates of global SLR are not yet approaching the figures noted above, over the past century the rate of SLR has roughly tripled in response to 0.8°C global warming.³⁶ The IPCC AR4 in 2007 reported that the mean global sea surface rose by 1.8 ± 0.5 mm/year over the period 1961 – 1993, and by 3.1 ± 0.7 mm/year between 1993 and 2003.³⁷ Updated measurements using only the period when satellite measurements have been available indicate the rate of SLR has now reached 3.4 ± 0.7 mm/year, or about 80% faster than the average IPCC model projection of 1.9mm /year.³⁸ Available information suggests that SLR trends in the Caribbean have been broadly similar to global trends over this same period.³⁹

32 Berger, WH. 2008. Sea level in the late Quaternary: patterns of variation and implications. *International Journal of Earth Sciences*, 97, 1143–1150.

33 Solomon, S., and D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M.Tignor, H.L. Miller (Eds.). 2007. *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press.

34 Berger, WH. 2008. Sea level in the late Quaternary: patterns of variation and implications. *International Journal of Earth Sciences*, 97, 1143–1150 (pp. 1143).

35 Schneider von Deimling, T., Ganopolski, A., Held, H. & Rahmstorf, S. 2007. How Cold was the Last Glacial Maximum? *Geophysical Research Letters*, 33(14), L14709.

36 Rahmstorf S. 2010. A new view on sea level rise. *Nature Reports Climate Change*, doi:10.1038/climate.2010.29.

37 Solomon, S., and D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M.Tignor, H.L. Miller (Eds.). 2007. *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press.

38 Rahmstorf S. 2010. A new view on sea level rise. *Nature Reports Climate Change*, doi:10.1038/climate.2010.29.

39 Nicholls, R. and A. Cazenave. 2010. Sea-Level Rise and Its Impact on Coastal Zones. *Science*, 328(18), 1517-1520.

3.2 PROJECTIONS OF FUTURE SEA LEVEL RISE

SLR due to climate change is a serious and unidirectional global threat to coastal ecosystems and development, since even if GHG emissions were stabilised in the near future, sea levels would continue to rise for many decades or centuries in response to a warmer atmosphere and oceans.⁴⁰ The IPCC AR4 projected a global SLR of 18 to 59cm from 1990 to 2100. These projections of future SLR assumed a near-zero net contribution of the Greenland and Antarctic ice sheets, on the basis that Antarctica especially was expected to gain mass from an increase in snowfall. However recent research suggests that both ice sheets have been losing mass at an accelerating rate over the past two decades. A number of experts have criticised the IPCC's SLR projections as being very conservative.^{41,42,43,44} The differences between IPCC model-based estimates and more recent estimates can be attributed largely to the response of continental ice to greenhouse warming.

Continued global warming for the rest of the century and into the 22nd Century under some GHG emission scenarios poses a major threat to the stability of the world's ice sheets. The extent and speed of melt caused by air and ocean warming will largely determine the magnitude and timing of global SLR over the next two centuries. A major problem in assessing the future dynamic evolution of the major ice sheets is a lack of understanding of the physical processes driving ice sheet collapse, calving processes at marine margins and destabilising effects from ice shelf removal. These physical processes include: the stability of grounding lines; the ways in which ice shelves and ice tongues break up, and the implications of this on the discharge of inland ice streams, and the role of melt water in the sub glacial zone of ice sheets. Several new

40 Solomon, S., and D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M.Tignor, H.L. Miller (Eds.). 2007. *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change.* Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press.

41 Oppenheimer, M., O'Neill, B., Webster, M., Agrawala, S. 2007. The limits of consensus. *Science*, 317, 1505-1506.

42 Pfeffer WT, Harper JT and O'Neel S. 2008. Kinematic Constraints on Glacier Contributions to 21st-Century Sea-Level Rise. *Science*, 321(5894), 1340-1343

43 Solomon, S., and D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M.Tignor, H.L. Miller (Eds.). 2007. *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change.* Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press.

44 Hansen, J. 2007. Scientific reticence and sea level rise. *Environmental Research Letters*, 2.

studies have improved our understanding of the complexities of these processes^{45,46,47,48,49,50,51,52,53} and the vulnerability of the Greenland and West Antarctic ice sheets, giving greater confidence in more recent studies that suggest that future SLR may have been significantly underestimated by IPCC projections. Based on scientific evidence published in the last two years, the rate of mean global SLR will increase in the years ahead and that the total SLR by the end of the century could perhaps reach as much as 1.5m to 2m above present levels.^{54,55,56,57,58} Regardless of whether global temperatures rise 2°C or 2.5°C, the increase in SLR will continue. Importantly, recent studies of the relative magnitude of regional SLR also suggest that because of its proximity to the equator, SLR in the Caribbean would be more pronounced than in some other regions.^{59,60}

Table 3 provides a summary of the most recent projections of global SLR over the 21st Century and compares these newer studies to the IPCC AR4 projections and continuation of current trends. Importantly the five studies that are more recent than the IPCC AR4 all project upper estimates of 1.4m SLR or more by 2100. That these upper estimates would occur is highly unlikely (as are the lower estimate range), but the precautionary principle requires that in the absence of scientific certainty policy-makers understand the more extreme possibilities that cannot be discounted. Examining the central estimates of these SLR projections is nonetheless more informative for the purposes of this assessment.

45 Holland, D.M., Thomas RH, de Young B, Ribergaard MH and Lyberth B. 2008. Acceleration of Jakobshavn Isbræ triggered by warm subsurface ocean waters. *Nature Geoscience*, 1(10), 659–664.

46 Rignot E, Koppes M and Velicogna I. 2010. Rapid submarine melting of the calving faces of West Greenland glaciers. *Nature Geoscience*, doi: 10.1038/ngeo765.

47 Straneo F., Hamilton, G., Sutherland, DA, Stearns, LA, Davidson, F., Hammill, MO., Stenson, GB, & Rosing-Asvid, A. 2010. Rapid circulation of warm subtropical waters in a major glacial fjord in East Greenland *Nature Geoscience*, 3, 182 – 186.

48 Joughin, I., Howatt, IM., Fahnestock, M., Smith, B., Krabill, W., Alley, RB., Stern, H., and Truffer, M. 2008. Continued evolution of Jakobshavn Isbræ following its rapid speedup. *Journal of Geophysical Research*, 113(F4), F04006, 10.1029/2008JF001023.

49 Rahmstorf, S. 2010. A new view on sea level rise. *Nature Reports Climate Change*, doi:10.1038/climate.2010.29.

50 Catania GA and Neumann TA. 2010. Persistent englacial drainage features in the Greenland Ice Sheet. *Geophysical Research Letters*, 37, L02501.

51 Rignot E, Koppes M and Velicogna I. 2010. Rapid submarine melting of the calving faces of West Greenland glaciers. *Nature Geoscience*, published online 14 February 2010; doi: 10.1038/ngeo765.

52 Motyka RJ, Fahnestock M and Truffer M. 2010. Volume change of Jakobshavn Isbræ, West Greenland:1985–1997–2007 *Journal of Glaciology*, 56(198), 635–645.

53 Jenkins A, Dutrieux P, Jacobs SS, McPhail SD, Perrett JR, Webb AT and White D. 2010. Observations beneath Pine Island Glacier West Antarctica and implications for its retreat. *Nature Geoscience*, 3, 468 – 472, doi:10.1038/ngeo890.

54 Rahmstorf, S. 2007. A Semi-Empirical Approach to Projecting Future Sea-Level Rise. *Science*, 315(5810), 368–370.

55 Vermeer M and Rahmstorf S. 2009. Global sea level linked to global temperature *Proceedings, National Academy of Sciences*, 106(51), 21527–21532.

56 Grinsted, A., Moore, J. C. & Jevrejeva, S. 2009. Reconstructing Sea Level from Paleo And Projected Temperatures 200 to 2100 AD. *Climate Dynamics*, 34, 461–472.

57 Jevrejeva, S., Moore, J. C. & Grinsted. In Press. Recent Global Sea Level Acceleration Started over 200 years ago? *Geophysical Research Letters*, doi:10.1029/2010GL042947.

58 Horton, R, Herweijer, C, Rosenzweig, C, Liu, J, Gornitz, V and Ruane, A. 2008. Sea Level Projections for Current Generation CGCMs based on semi-empirical method. *Geophysical Research Letters*, 35, L02715.

59 Bamber, J.L., Riva, R., Vermeersen, B.L.A. and LeBrocq, A.M. 2009. Reassessment of the potential sea-level rise from a collapse of the West Antarctic Ice Sheet. *Science* 324, 901–903.

60 Hu, A., Meehl, G., Han, W and Yin, J. 2009. Transient response of the MOC and climate to potential melting of the Greenland Ice Sheet in the 21st Century. *Geophysical Research Letters* 36, L10707.

The central estimates of four of five of the most recent studies of SLR in the 21st Century exceed 1m. Therefore, the first scenario examined in the SLR vulnerability assessment in section 3.3.1 is +1m. However, as other recent government SLR vulnerability assessments in the USA and the Netherlands have explored SLR scenarios greater than 1m^{61,62} for comparability, a second +2m SLR scenario is also examined.

Table 3: Summary of Global Sea Level Rise Projections for 21st Century ^{63,64,65,66,67}

	2050*	2100		
		Low Range	Central Estimate	High Range
Continuation of current trend (3.4mm/yr)	13.6 cm	-	30.6 cm	-
IPCC AR4 (2007)	8.9 cm to 23.8 cm	18 cm	-	59 cm
Rahmstorf (2007)	17cm to 32 cm	50 cm	90 cm	140 cm
Horton et al. (2008)	~ 30 cm		100 cm	
Vermeer and Rahmstorf (2009)	~40 cm	75 cm	124 cm	180 cm
Grinstead et al. (2009)	-	40 cm	125 cm	215 cm
Jevrejeva et al (2010)	-	60 cm	120 cm	175 cm

*Where not specified, interpreted from original sources

It is also vital to re-emphasise that SLR will continue after 2100, even if global temperatures are stabilised at 2.0°C or 2.5°C, and the dynamical breakup of parts of the Greenland and West Antarctic Ice Sheets will continue over centuries, further contributing to SLR. Once set in motion, the breakup of ice sheets and the contribution to SLR are irreversible on human

61 Herberger, M., Cooley, H., Herrera, P., Gleick, P. and Moore, E. 2009. The impacts of Sea-Level Rise on the California Coast. California Climate Change Center for the State of California. Sacramento, California.

62 Delta Commission. 2008. Working together with water: A living land builds for its future. Accessed from http://www.deltacommissie.com/doc/dellareport_summary.pdf

63 Rahmstorf, S. 2007. A Semi-Empirical Approach to Projecting Future Sea-Level Rise. *Science*, 315(5810), 368-370.

64 Vermeer M and Rahmstorf S. 2009. Global sea level linked to global temperature. *Proceedings of the National Academy of Sciences*, 106(51), 21527–21532.

65 Grinstead, A., Moore, J. C. & Jevrejeva, S. 2009. Reconstructing Sea Level from Paleo And Projected Temperatures 200 to 2100 AD. *Climate Dynamics*, 34, 461–472.

66 Jevrejeva, S., Moore, J. C. & Grinstead. (In Press). Recent Global Sea Level Acceleration Started over 200 years ago? *Geophysical Research Letters*, doi:10.1029/2010GL042947.

67 Horton, R, Herweijer, C, Rosenzweig, C, Liu, J, Gornitz, V. and Ruane, A. 2008. Sea Level Projections for Current Generation CGCMs based on semi-empirical method. *Geophysical Research Letters*, 35, L02715.

timescales. Considering this and analogues of sea level during periods with similar climatic conditions as today (when sea levels were an estimated 3-6m above current levels), then the question is not *if* the Caribbean will face SLR of 1m or 2m under either a 2.0°C or 2.5°C global warming scenario, but rather *when*.

3.3 IMPACTS OF SEA LEVEL RISE AND STORM SURGE ACTIVITY IN CARICOM MEMBER STATES

As indicated, there is overwhelming scientific evidence that SLR associated with climate change projected to occur in the 21st Century and beyond, represents a serious and chronic threat to the sustainable management of the coastal zone in CARICOM nations. Adaptations to the impacts associated with future SLR, including coastal inundation and inland flooding, greater storm surge damage, and increased erosion, will involve considerable revisions to development plans and major investment decisions, which must be based on the best available information about the relative vulnerability of specific coastal infrastructure, ecosystems and heritage resources and the resulting economic impacts and non-market impacts.

This analysis provides the most comprehensive assessment of the consequences of projected SLR for the people and economies of the 15 CARICOM nations. It examines the SLR exposure risk of all of the major damage metrics recommended by the Organization for Economic Cooperation and Development (OECD): land area, people, ecosystems, economic value, important infrastructure, and cultural heritage.⁶⁸ To ensure comparability of SLR vulnerability results between the CARICOM nations and developing nations in other regions, some of the impact indicators selected for this study were common to a previous study by the World Bank that examined 84 developing nations, including six CARICOM nations.⁶⁹

A Geographic Information System (GIS) was constructed using the best available geospatial data sets to examine the vulnerability of multiple key natural and economic indicators (total land area, population, urban areas, wetland area, agricultural land, major tourism resorts, transportation infrastructure [airports, roads, sea port], sea turtle nesting sites,

⁶⁸ Nicholls, R. and A. Cazenave. 2010. Sea-Level Rise and Its Impact on Coastal Zones. *Science*. 328(18), 1517-1520.

⁶⁹ Dasgupta, S., B. Laplante, C. Meisner, D. Wheeler, and J. Yan. 2007. The Impact of Sea Level Rise on Developing Countries: A Comparative Analysis. World Bank Policy Research Working Paper No. 4136. Washington, DC: World Bank. The results for the six CARICOM nations included in the World Bank study and this analysis were highly consistent for all common indicators.

and major sea fuel/ energy plants) to inundation from SLR in each CARICOM nation (+1m and 2m scenarios). Accurately modelling the potential impacts of SLR through inundation and shoreline erosion is dependent on high-resolution spatial data, particularly elevation data. To improve the spatial resolution of the GIS, the study utilised the research-grade Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER) Global Digital Elevation Model (GDEM) data set that was recently publically released by NASA and the Japanese Ministry of Economy, Trade and Industry. The ASTER GDEM covers 99% of the earth's surface at 30m² grid cells. This provides a three-fold improvement of the spatial resolution of GDEM of Phase I and that of the World Bank study⁷⁰, which were both 90m². As with some other satellite instruments, ASTER coverage is disrupted in areas with atmospheric interference (i.e., regular to constant cloud cover) and therefore does not perform as well in these areas. Data anomalies were observed in the ASTER DGEM in some coastal areas of Guyana and Suriname and as a result the results for these nations should be considered with some caution. The ASTER GDEM was integrated into a GIS with the land use and infrastructure geospatial data sets outlined in Table 4.

⁷⁰ Dasgupta, S., B. Laplante, C. Meisner, D. Wheeler, and J. Yan. 2007. *The Impact of Sea Level Rise on Developing Countries: A Comparative Analysis*. World Bank Policy Research Working Paper No. 4136. Washington, DC: World Bank.

Table 4: Geospatial Data Sources Utilised in the SLR Vulnerability Assessment

Variable	Dataset Name	Unit	Resolution	Source(s)
Coastline and country Boundary	WVS	km ²	1:250,000	NOAA/NASA
Elevation	ASTER GDEM	m ²	30m	NASA/METI
Population Data (2010 Projections)	glp10ag	Population Counts (millions)	5km	CIESIN
Urban Lands	Global Rural-Urban Mapping Project – GRUMP-1	km ²	1km	CIESIN
Agricultural Lands	GAE-2	km ²	1km	IFPRI (International Food Policy Research Institute)
Wetlands	GLWD-3	km ²	1km	Bernhard Lehner, World Wildlife Fund US ⁷¹
Lakes, and Water Bodies	GHHS	km ²	1:250,000	Global Self-consistent, Hierarchical, High-resolution Shoreline Database (Version 2) ⁷²
Global Airports	DIAFF (Digital Aeronautical Flight Information File)	Count	n/a	NIMA (National Imagery and Mapping Agency)
Global Airport Runways	DIAFF	km ²	1:250,000	NIMA (National Imagery and Mapping Agency)
Roads	VMap Worldwide Vector Data (v5)	km (length)	1:250,000	LandInfo Worldwide Mapping
City areas	VMap Worldwide Vector Data (v5)	km ²	1:250,000	LandInfo Worldwide Mapping
Major Tourism Resorts	UW SLR Data	Count	n/a	University of Waterloo
Ports of the Wider Caribbean	NIMA World Port Index	Count	n/a	World Resources Institute (WRI) ⁷³
Sea Turtle Nesting Sites	OBIS-SEAMAP	km ² /Count	1:250,000	SWOT: The State of the World's Sea Turtles
Aerial Imagery (Used for maps production)	UW SLR Data	n/a	Varying Scales	Google Earth Pro©

⁷¹ Lehner, B. and Döll, P. 2004: Development and validation of a global database of lakes, reservoirs and wetlands. *Journal of Hydrology*, 296(1-4), 1-22.

⁷² Wessel, P., and W. H. F. Smith. 1996. A Global Self-consistent, Hierarchical, High-resolution Shoreline Database. *Journal of Geophysical Research*, 101(B4), 8741-8743.

⁷³ Burke, L., Maidens, J., Spalding, M., Kramer, P., Green, E., Greenhalgh, S., Nobles, H., Kool, J. 2004. *Reefs at Risk in the Caribbean*. World Resources Institute. Washington, D.C.

While there remains considerable uncertainty related to the magnitude and timing of both climate change and SLR, the previous discussion indicated that the most recent studies on SLR project a range of 1 to 2m over the 21st Century. The differential impacts of a 1m and 2m SLR scenario for individual CARICOM nations are summarised in section 3.3.1 . The economic effects of these impacts are discussed in detail in Section 4.2. To examine the vulnerabilities associated with combined flooding risk of SLR and storm surge (section 3.3.2), the probable wave heights and related storm surge for a 1 in 100 year storm (averaged for each country) were obtained from the Atlas of Probable Storm Effects in the Caribbean Sea⁷⁴ and superimposed on +1m SLR. Adaptation to SLR through coastal protection is highly probable in highly populated urban areas with high value properties and strategic infrastructure. Section 3.3.4 provides the first assessment of the length of protective structures required for 19 of CARICOM's most populous cities in CARICOM countries and the estimated costs of construction and annual maintenance associated with this critical adaptation strategy. To provide a first order assessment of damages associated with long-term erosion response to SLR (Section 3.3.3) the Bruun Rule^{75,76} of landward erosion (50 to 100 times the vertical SLR) was applied to coastlines with unconsolidated beach materials and the absence of coastal protection structures (as determined through visual inspection of aerial imagery in Google Earth). The economic implications of projected erosion impacts are also discussed in detail in Section 4.2.

3.3.1 IMPACTS OF 1M AND 2M SEA LEVEL RISE SCENARIOS ON CARICOM COUNTRIES

The analysis revealed that the impacts of SLR would not be uniform among the CARICOM nations, with some projected to experience severe impacts from even a 1m SLR. The differential vulnerability can be largely explained by the geophysical characteristics of the islands and their different coastal topographic settings, which are briefly summarised in Table 5. The CARICOM countries can be broadly categorised into five groups in terms of their relative vulnerability to coastal flooding.

⁷⁴ Storm surge and wave heights were obtained from the: Organization of American States (2002) Atlas of Probable Storm Effects in the Caribbean Sea. OAS: <http://www.oas.org/cdmp/document/reglstrm/index.htm>.

⁷⁵ Bruun, P. 1962. Sea-Level Rise as a Cause of Shore Erosion, *Journal Waterways and Harbours Division*, 88(1-3), 117-130.

⁷⁶ Aboudha, P.A., Woodroffe, C.D. 2006, *International Assessments of the Vulnerability of the Coastal Zone to Climate Change, Including an Australian Perspective*. Report for the Australian Greenhouse Office in Response to RFQ116/2005, DEH, Keswick.

Table 5: Summary of geophysical characteristics of CARICOM countries

Geophysical Setting	Key Climate Change Vulnerabilities	CARICOM Members
Coastal plains below 10m	<ol style="list-style-type: none"> 1. Flooding from storms 2. Inundation from SLR 3. Salt water intrusion of ground water 4. Erosion with loss of mangroves 	Guyana, Suriname, Belize,
Low lying islands	<ol style="list-style-type: none"> 1. Inundation from SLR 2. Flooding from storms 3. Salt water intrusion of ground water 4. Erosion from SLR and storms 	The Bahamas, Barbuda, The Grenadines
Volcanic island coasts	<ol style="list-style-type: none"> 1. Beach erosion from SLR and storms 2. Landslides (locally) 3. Localized flooding from storms 	Dominica, Grenada, St Kitts and Nevis, St Lucia, St Vincent, Montserrat
Coral reefs	<ol style="list-style-type: none"> 1. Erosion by storms and tsunamis 2. Bleaching 	Bahamas, The Grenadines, local areas in Barbados, St Lucia, The Grenadines, Belize
Varied geophysical characteristics	<ol style="list-style-type: none"> 1. Localized erosion by SLR and storms 2. Localized inundation from SLR 3. Localized flooding from storms 3. Localized salt water intrusion of ground water 	Antigua, The Bahamas, Haiti, Jamaica and Trinidad and Tobago

The first group of countries are those where there are large coastal plains lying close to sea level, exemplified by Belize, Guyana and Suriname. These are highly vulnerable to SLR. In the case of Belize, hurricanes are also of great concern; less so in the case of Guyana and Suriname since they are south of the hurricane belt, although other storms may affect all three countries. Mangroves are more extensive in these areas than in other CARICOM countries, and deterioration in these will lead to accelerated coastal erosion.

The second group are the low lying small islands and cays, largely comprised of coral reefs: The Bahamas, most of The Grenadines, Barbuda and a few small islands lying offshore other areas. These islands, lying mostly below 10m, are highly vulnerable to SLR and hurricane storm surge. They will likely experience periodic flooding, erosion and retreat of mangroves and seagrass beds together with saltwater intrusion into the small lenses of fresh groundwater upon which they frequently depend.

The third group are the mainly volcanic islands of St. Kitts and Nevis, St. Lucia, St. Vincent, Dominica, Grenada and Montserrat. These islands, with only narrow coastal areas, are vulnerable to erosion of more limited beach areas and local coastal landslides. In some, mangroves and seagrass beds are also threatened. These islands, being tectonically active, may be experiencing land movement, which could mitigate against or exacerbate SLR.

The final group of CARICOM countries are Antigua, Barbados, Haiti, Jamaica and Trinidad and Tobago. The coastlines of these countries are varied and include both steep, sometimes volcanic coastlines and coastal plains, sometimes with mangroves and seagrass beds to seaward. Flooding of the coastal plains due to SLR is a considerable threat, as is coastal erosion and flooding from storms (including hurricanes in the case of Antigua, Barbados, Haiti and Jamaica, and tropical storms in all areas). These areas are tectonically active, and as with the volcanic islands this may cause rises or falls in land level, which would alter SLR projections slightly.

A summary of impacts from a 1m SLR is provided in Section 3.3.1. While the total land area permanently inundated by 1m SLR is less than 1% for CARICOM as a whole, as subsequent indicators and the economic analysis reveals, that which is lost represents some of the most valuable land and has substantive implications for the economy in the region. For individual nations, land losses can be much more substantial. The Bahamas and Antigua and Barbuda were found to be the most vulnerable in terms of land area lost (at 5% and 2% respectively).

A 1m SLR would displace an estimated 111,000 people in the CARICOM nations⁷⁷. Bahamas has the highest percentage of national population affected (5%) because of greater impacts on urban areas (3% inundated). Other nations with substantive populations affected by a 1m SLR include St. Kitts and Nevis (2%) and Antigua and Barbuda (3%).

Tourism and agriculture revealed key vulnerabilities for some nations. Considering its very close proximity to the coast, it is not surprising that tourism was by far the most vulnerable major economic sector. This is a key finding, as tourism is a major part of the economies of Caribbean nations and has been overlooked in most previous assessments of the impacts

⁷⁷ This figure is deemed conservative due to inherent constraints related to population and topographic data in the region; better socio-economic data and topographic data, based on scientific tools, are needed if these estimates are to be improved in a robust way. The population displacement figures in this study also account for protected shorelines in Guyana under which Georgetown and the Guyanese coastal strip is reasoned not to be as vulnerable to permanent inundation as might be expected given the on-going and planned improvements and technological enhancements to the coastal protection system (assuming continued adequate funding). Overtopping risk, however, will still be present under extreme events' scenarios. It should be noted that the Guyanese coastal strip, its' population, industries and infrastructure, is extremely vulnerable to flooding and overtopping from increases in precipitation and extreme events impacting on the Conservancy Dam.

of SLR on national economies. The World Travel and Tourism Council (WTTC)⁷⁸ estimates that tourism represents 14.8% of GDP and 12.9% of employment (approximately 2 million jobs) in the Caribbean, and the importance of tourism for individual island economies can be much higher (GDP in 2002)⁷⁹: Antigua and Barbuda 72%, St. Lucia 51%, The Bahamas 46%, Barbados 37%, St. Vincent and the Grenadines 29%, Jamaica 27%, St. Kitts and Nevis 25%, Belize and Grenada 23%, Dominica 22%). Of the 673 major resorts in the CARICOM countries inventoried for this analysis, 149 are at risk to 1m SLR. Beaches are critical assets for tourism in the Caribbean and a much greater proportion would be lost to inundation and accelerated erosion well before resort infrastructure was damaged.

Major resort properties were at significant risk to 1m SLR in various countries, notably, Belize (73%), St. Kitts and Nevis (64%), Haiti (46%), Bahamas (36%) and Trinidad & Tobago (33%). Such impacts would transform coastal tourism in the region, with implications for property values, insurance costs, destination competitiveness, marketing and wider issues of local employment and economic well-being for thousands of employees. In some cases impacts to particularly high-profile tourism properties, such as the projected flooding of parts of Paradise Island in The Bahamas (Figure 7) would have a disproportionately large economic impact.

Also of importance to tourism, but also the wider economy in each nation, is the vulnerability of key transportation infrastructure. SLR of 1m inundated a total of 21 out of 64 airports within CARICOM. The vulnerability of airports was highest in Grenada, where the runway area will become completely inundated. More than 550 km of roads were projected to be inundated by 1m SLR in CARICOM nations. The road networks were at greatest risk in The Bahamas (14%), Dominica (14%) and Guyana (12%). Seaports would also be affected, with the surrounding port lands of 35 out of 44 ports in CARICOM inundated by 1m SLR unless protected by coastal structures.

Agriculture was found to be less vulnerable than the tourism industry, however the estimated impact of 1m SLR is still important for food supply, security and livelihoods. Estimated total agricultural land loss was highest in The Bahamas (6%), Dominica (5%) and Haiti (3%). The loss of crop and plantation lands (the highest value agricultural lands) was highest in The Bahamas (3%), while other islands experienced losses around 1%.

78 WTTC. 2008. WTTC Supports CARICOM Prioritisation on Tourism. PRNewswire 13 March 2008. Accessed from www.hispanicprwire.com/news.php?i=in&id=10940.

79 World Resources Institute. 2002. Table A4: Tourism Economy of the Wider Caribbean. Accessed from www.wri.org/publication/content/7863.

SLR also represents a poorly understood threat to natural areas and biodiversity in the region. The largest percentage of protected areas inundated by a 1m SLR occurs in Antigua and Barbuda (5%). The area of wetlands inundated by 1m SLR was greatest in The Bahamas (5%) and Haiti (2%), though data gaps prevent such an analysis in most countries where greater wetland area may well be affected by 1m SLR. Nesting sites for sea turtles was also explored, with the largest loss of sites in Guyana (50%), Belize (44%), Haiti (44%), St. Kitts and Nevis (35%), and The Bahamas (35%). Due to the poor availability of required land use designation data, the implications of SLR on these types of key natural areas and habitat in many of the smaller CARICOM nations could not be assessed in this study.

The geographic pattern of impacts among the CARICOM nations was found to remain broadly similar under a 2m SLR scenario, however the magnitude of impacts for the region as a whole and in the highly vulnerable nations was much more pronounced (Table 7). Notable further vulnerabilities within CARICOM under a 2m SLR scenario included:

- more than a doubling of the number of people displaced,⁸⁰
- a doubling of total wetland area lost,
- an additional 84 major tourism resort properties at risk,
- an additional 10 airports partially inundated,
- a further 143 km of roads impacted, and
- a total of 9 power plants at risk (out of 47 inventoried)

The increase in impacts for some of the most vulnerable CARICOM members was marked. For example, Belize is projected to lose 1% of the land area, 40% of the port infrastructure and 33% of power plants, at the same time that 73% of the major tourism resorts and 50% of the airports runways are inundated. Guyana would be expected to have 1% of its population displaced, while losing 12% of its road network and 100% of its power plants. Also notable are the impacts to The Bahamas where 5% of the population would be displaced, large portions of major tourism resorts and the airport would be inundated (36% and 38% respectively). The Bahamas would also experience significant impacts to their main ports (90%) and 38% of their power plants would be inundated.

⁸⁰ This figure is deemed conservative due to inherent constraints related to population and topographic data in the region; better socio-economic data and topographic data, based on scientific tools, are needed if these estimates are to be improved in a robust way. The population displacement figures in this study also account for protected shorelines in Guyana under which Georgetown and the Guyanese coastal strip is reasoned not to be as vulnerable to permanent inundation as might be expected given the on-going and planned improvements and technological enhancements to the coastal protection system (assuming continued adequate funding). Overtopping risk, however, will still be present under extreme events' scenarios. It should be noted that the Guyanese coastal strip, its' population, industries and infrastructure, is extremely vulnerable to flooding and overtopping from increases in precipitation and extreme events impacting on the Conservancy Dam.

Table 6: Impacts of a 1m Sea Level Rise in CARICOM Nations

	Land Area	Population	Urban Area	Wetland Area	Agricultural Land	Crop and Plantation	Major Tourism Resorts	Airports	Road Network	Protected Areas	Sea Turtle Nests	Power Plants	Ports
Antigua & Barbuda	2%	3%	2%	*	2%	1%	10%	0%	2%	5%	12%	0%	100%
Barbados	1%	1%	<1%	*	<1%	<1%	8%	0%	0%	*	3%	0%	100%
Belize	1%	1%	1%	2%	1%	1%	73%	50%	4%	0%	44%	33%	40%
Dominica	<1%	1%	<1%	*	5%	<1%	0%	0%	14%	0%	7%	0%	67%
Grenada	1%	1%	<1%	*	3%	1%	11%	100%	1%	*	8%	0%	100%
Guyana	<1%	1%	<1%	1%	<1%	*	0%	0%	12%	*	50%	100%	0%
Haiti	<1%	1%	1%	2%	3%	1%	46%	50%	1%	*	44%	0%	100%
Jamaica	<1%	0%	<1%	<1%	1%	<1%	8%	20%	2%	1%	25%	0%	100%
Montserrat	1%	1%	*	*	2%	1%	0%	0%	4%	*	4%	0%	100%
St. Kitts & Nevis	1%	2%	1%	*	5%	1%	64%	50%	0%	*	35%	0%	50%
St. Lucia	1%	1%	<1%	*	1%	1%	7%	50%	0%	0%	6%	0%	100%
St. Vincent & the Grenadines	1%	1%	1%	*	2%	1%	10%	50%	1%	*	11%	0%	67%
Suriname	<1%	1%	1%	<1%	<1%	<1%	5%	0%	7%	0%	0%	0%	100%
The Bahamas	5%	5%	3%	5%	6%	3%	36%	38%	14%	1%	35%	38%	90%
Trinidad & Tobago	1%	1%	1%	<1%	3%	*	33%	50%	1%	0%	15%	0%	100%


* Unable to calculate due to various data restrictions

Table 7: Impacts of a 2m Sea Level Rise in CARICOM Nations

	Land Area	Population	Urban Area	Wetland Area	Agricultural Land	Crop and Plantation	Major Tourism Resorts	Airports	Road Network	Protected Areas	Sea Turtle Nests	Power Plants	Ports
Antigua & Barbuda	5%	6%	5%	*	5%	4%	18%	100%	6%	8%	18%	50%	100%
Barbados	1%	1%	<1%	*	<1%	<1%	32%	0%	0%	*	8%	0%	100%
Belize	2%	3%	2%	8%	3%	5%	86%	50%	6%	1%	60%	33%	40%
Dominica	1%	1%	1%	*	5%	<1%	6%	50%	15%	0%	10%	0%	67%
Grenada	2%	2%	1%	*	5%	2%	18%	100%	1%	*	16%	0%	100%
Guyana	<1%	3%	1%	1%	1%	*	0%	0%	13%	0%	75%	100%	0%
Haiti	1%	1%	2%	4%	5%	1%	61%	50%	1%	*	53%	0%	100%
Jamaica	1%	1%	1%	<1%	2%	1%	18%	60%	2%	2%	32%	20%	100%
Montserrat	1%	1%	*	*	3%	1%	0%	0%	4%	*	8%	0%	100%
St. Kitts & Nevis	2%	3%	2%	*	8%	1%	77%	50%	0%	*	43%	0%	50%
St. Lucia	1%	1%	1%	*	1%	1%	10%	50%	0%	0%	10%	0%	100%
St. Vincent & the Grenadines	2%	2%	1%	*	3%	1%	24%	75%	1%	*	16%	0%	67%
Suriname	<1%	3%	2%	1%	1%	<1%	11%	0%	8%	0%	0%	100%	100%
The Bahamas	10%	10%	6%	10%	12%	8%	50%	53%	19%	2%	37%	50%	90%
Trinidad & Tobago	2%	2%	2%	<1%	6%	*	63%	50%	2%	0%	24%	0%	100%

* Unable to calculate due to various data restrictions

Figure 7: Vulnerability of Tourism Resorts in Nassau and Paradise Island, The Bahamas to SLR and Storm Surge



3.3.2 IMPACTS OF 1M SEA LEVEL RISE COMBINED WITH 1 IN 100 YEAR STORM SURGE EVENT

Set against the rises in sea surface levels, the extreme events to which the Caribbean is subject to annually assume even greater prominence. Although there is no scientific consensus on the implications of future climate change for either the intensity or frequency of hurricanes and tropical storms in the Caribbean (see Section 2), the potential flooding from storm surges will increase as the sea level rises. In this respect, the implications of SLR are not only long-term in nature, as even small changes in sea level can have substantial implications for the devastating impact of storm surges on coastal areas.

Consistent with other studies that have explored the implications of SLR and storm surge⁸¹, this analysis examined the exposure of people and infrastructure to combined 1m SLR and storm surge associated with a 1 in 100 year storm event. The probable wave heights and related storm surge for a 1 in 100 year storm (averaged for each country) were obtained from the Atlas of Probable Storm Effects in the Caribbean Sea⁸² and superimposed on +1m SLR. The Atlas of Probable Storm Effects in the Caribbean Sea indicate that a 1 in 100 year storm surge event would range from 3-4m in most countries and when combined with 1m SLR, areas up to 4-5m above sea level would be exposed to flooding damages (see Table 8 for the estimated storm surge height averaged for each country⁸³).

The exposure of infrastructure and population to a 1 in 100 year storm surge under 1m SLR is summarised in Table 8. With a storm surge of this magnitude, many countries will see serious impacts to key infrastructure, such as airports and tourism resorts because of their close proximity to the coast. Belize, for instance, will see 100% of their airports impacted by a 1 in 100 year storm surge and 95% of their tourism resorts would also experience significant damage. In St. Kitts and Nevis the major tourism infrastructure is less vulnerable to a major storm surge event, with only 17% at risk, however with nearly 6% of the land area and 6% of the population affected this would still represent a significant impact to the small island nation. The low-lying islands of the Bahamas are also extremely at risk to storm surge. The population and key sectors will see notable impacts from storm surge including 22% of the population being at risk and 63% of major tourism resorts potentially damaged. During disaster events transportation networks are very important for local people as well as emergency response personnel. Thus a country like Antigua and Barbuda, where 12% of the population will

81 Herberger, M., Cooley, H., Herrera, P., Gleick, P. and Moore, E. 2009. The impacts of Sea-Level Rise on the California Coast. California Climate Change Center for the State of California. Sacramento, California.

82 Storm surge and wave heights were obtained from the Organization of American States 2002 Atlas of Probable Storm Effects in the Caribbean Sea. OAS: <http://www.oas.org/cdmp/document/reglstrm/index.htm>.

83 These storm surge heights are averaged across each country, but the Atlas of Probable Storm Effects in the Caribbean Sea clearly reveals that some coastal areas in each country are projected to experience greater storm surge heights.

be at risk, will have further challenges in emergency response due to flooding of their airport facilities and nearly 12% of the road network. Belize would face similar challenges. The exposure of Belize City, Belize to a combined 1m SLR and projected 1 in 100 year storm surge of 4.5m can be seen in Figure 8 (see 5 and 6m expose levels). Furthermore, though some countries will experience serious impacts to infrastructure, the importance of natural resource damages cannot be ignored. In a major storm surge event, countries like Haiti and St. Kitts and Nevis will also experience notable inundation of agricultural land, 9% and 16% respectively. These losses will create challenges for food supply in the post-event recovery period.

Table 8: Impacts of 1 in 100 year Storm Surge for CARICOM Nations under a 1m SLR Scenario

	1m SLR + 1 in 100 yr storm surge (m)	Land Area	Population (2010 est.)	Urban Area	Wetland Area	Agricultural Land	Crop and Plantation Land	Major Tourism Resorts	Airports	Road Network
Antigua & Barbuda	4	11%	13%	11%	*	10%	9%	53%	100%	11%
Barbados	4.25	2%	2%	1%	*	1%	0%	45%	0%	0%
Belize	5.5	9%	13%	15%	36%	9%	17%	95%	100%	16%
Dominica	5	1%	2%	1%	*	8%	0%	18%	100%	16%
Grenada	4	4%	4%	2%	*	10%	3%	38%	100%	1%
Haiti	4	2%	3%	5%	19%	9%	3%	71%	50%	3%
Jamaica	5.5	2%	2%	2%	3%	6%	3%	38%	80%	3%
Montserrat	5.25	3%	3%	*	*	9%	2%	0%	0%	5%
St. Kitts & Nevis	5.5	6%	6%	4%	*	17%	3%	86%	50%	3%
St. Lucia	4.75	2%	3%	2%	*	3%	3%	37%	100%	2%
St. Vincent & the Grenadines	4.5	3%	3%	1%	*	7%	2%	67%	100%	2%
The Bahamas	4.5**	21%	23%	15%	22%	24%	16%	63%	66%	27%
Guyana	No data									
Suriname	No data									
Trinidad & Tobago	No data									


*Data restrictions prevent an estimate on this indicator - Atlas of Probable Storm Effects in the Caribbean Sea⁸⁴

**This is an estimate based only on the 4 southern most islands of the Bahamas that were visible in the dataset on wave height and storm surge

⁸⁴ Storm surge and wave heights were obtained from the: Organization of American States (2002) Atlas of Probable Storm Effects in the Caribbean Sea. OAS: <http://www.oas.org/cdmp/document/reglstrm/index.htm>

These SLR and storm surge scenarios only identify exposure risk to flooding impacts and do not take into account the additional coastal erosion during storm events. The extent to which infrastructure will be damaged and disruption costs resulting from such storm events is highly uncertain as is the timing (and thus state of the economy) and frequency of such events over an extended period, and therefore have not been incorporated into the economic valuation analysis in section 4.

Figure 8: Vulnerability of Belize City to Combined SLR and Storm Surge (see 5 and 6m exposure levels)



3.3.3 IMPACTS OF EROSION ASSOCIATED WITH 1M AND 2M SEA LEVEL RISE SCENARIOS

Large areas of the Caribbean coast are highly susceptible to erosion, and beaches have experienced accelerated erosion in recent decades. Higher sea levels will accelerate coastal erosion in these areas due to increased wave attack. The amount of coastline retreat due to SLR can be estimated by several methods. In the absence of information necessary to apply more advanced three-dimensional shoreline recession modelling techniques, which was found to be almost universally the case throughout the Caribbean, two-dimensional conceptual models like the Bruun Rule^{85,86} provide a means to complete a first order assessment of the importance of erosion related to SLR. Because of its simplicity, the Bruun Rule has been widely applied in the study of erosion impacts resulting from SLR. The Bruun Rule is based on the concept that an existing beach profile will remain largely constant and as sea level increases sediment required to maintain this profile in deeper water is derived from erosion of the shore material. The readjustment of the beach profile to an equilibrium state produces inland retreat of approximate 50 to 100 times the vertical increase in sea level (i.e., for a 1m SLR, 50m to 100m of erosion is predicted). This analysis has applied the Bruun Rule very conservatively, by adopting the low end of the erosion range (i.e., 50 times vertical SLR) and only calculated erosion exposure for unconsolidated beach areas that were visually identified in Google Earth satellite imagery and digitised by the research team. Because areas with erosion resistant geology (limestone, volcanic rock) and the armored shorelines of urban areas and strategic infrastructure (ports, airports, power plants, etc) were excluded from the erosion analysis, the impacts of erosion focus on tourism and habitat functions.

A primary design goal of coastal tourism resorts is to maintain coastal aesthetics of uninterrupted sea view and access to beach areas, as beach quality plays an important role in the selection of Caribbean destinations and individual resorts.⁸⁷ As a result tourism resort infrastructure is often highly vulnerable to beach erosion. Of the 673 tourism resorts examined in this analysis, 307 (or 46%) are vulnerable to a 50m erosion scenario associated with 1m SLR (Table 9). With a further 50m erosion associated with a 2m SLR (or the high estimate of the Bruun Rule for a 1m SLR), an additional 79 resorts were found to be at risk (or 57% of the region's coastal resorts). The nations with proportionately the most vulnerable tourism

85 Bruun, P. 1962. Sea-Level Rise as a Cause of Shore Erosion, *Journal Waterways and Harbours Division*, 88(1-3), 117-130.

86 Aboudha, P.A., Woodroffe, C.D. 2006. *International Assessments of the Vulnerability of the Coastal Zone to Climate Change, Including an Australian Perspective*. Report for the Australian Greenhouse Office in Response to RFQ116/2005, DEH, Keswick.

87 Wielgus, J., Cooper, E., Torres, R., Burke, L. 2010. *Coastal Capital: Dominican Republic*. Working Paper. Washington: World Resources Institute. Washington D.C.


infrastructure to a 50m erosion scenario are Belize (95% of resorts at risk), St. Kitts and Nevis (68%) and St. Vincent and the Grenadines (38%). However, the nations with the largest number of tourism resorts likely to be damaged by SLR induced erosion were the Bahamas, Belize and Barbados (77, 42 and 42 resorts, respectively, at 1m SLR - Table 9). It is important to note that the critical beach assets would be affected much earlier than the erosion damages to tourism infrastructure. Indeed if erosion is damaging tourism infrastructure, it means the beach has essentially disappeared. Figure 9 illustrates the erosion risk for high profile tourism infrastructure on Paradise Island, The Bahamas. Notably, the armoured shorelines of Nassau do not show any erosion.

Beach nesting sites for sea turtles are also at significant risk to beach erosion associated with SLR. For example, of the 331 beach nesting sites examined in the CARICOM nations, 146 were at risk with a 50m erosion scenario (44%) and 185 are at risk with a 100m erosion scenario (56%). If 50m were to erode, 100% of the beach nesting sites in Belize would be at risk, followed by 80% in The Bahamas and 79% in St. Kitts and Nevis.

Table 9: Impacts of Beach Erosion Associated with 1m or 2m Sea Level Rise in CARICOM Nations

	Tourism Resorts (n=673)		Sea Turtle Nesting Beaches (n=331)	
	50m (1m SLR)	100m (2m SLR)	50m (1m SLR)	100m (2m SLR)
Antigua & Barbuda	34	44	24	31
Barbados	42	50	5	8
Belize	42	44	7	7
Dominica	5	6	6	7
Grenada	14	19	7	7
Guyana	0	0	0	-
Haiti	14	17	6	8
Jamaica	34	52	18	24
Montserrat	0	0	0	2
St. Kitts & Nevis	15	18	15	15
St. Lucia	5	9	9	16
St. Vincent & the Grenadines	8	16	16	22
Suriname	2	2	0	-
The Bahamas	77	93	4	4
Trinidad & Tobago	15	16	29	34

Figure 9: Vulnerability of Tourism Resorts in Nassau and Paradise Island, The Bahamas to SLR Induced Coastal Erosion



3.3.4 SEA LEVEL RISE ADAPTATION CASE STUDY: STRUCTURAL PROTECTION OF CARICOM CITIES

A vital question posed by researchers and policy-makers is to what extent can the damages outlined in sections 3.3.1 to 3.3.3 be off-set by adaptation, including coastal protection schemes? Many major coastal cities throughout the Caribbean utilise structures such as levees or sea walls as a means to protect densely populated urban areas and strategic infrastructure against erosion and flooding. The world’s populated coastal areas have generally become increasingly managed and engineered over the 21st Century reflecting some increased capacity to adapt to future SLR.^{88,89} Recent economic studies conclude that based on cost-benefit analysis, coastal protection from SLR would be widespread in

⁸⁸ Nicholls, R. and Cazenave, A. 2010. Sea-Level Rise and Its Impact on Coastal Zones. *Science*. 328(18): 1517-1520.

⁸⁹ Nicholls, R. and Tol, R. 2006. Impacts and responses to sea-level rise: a global analysis of the SRES scenarios over the twenty-first century. *Phil. Trans. R. Soc. A*, 364, 1073-1095.

well-populated coastal areas with high value property and strategic infrastructure.^{90,91} Coastal protection is not economic in moderately populated areas, for agricultural lands, or ecosystem areas that must maintain interactions with the sea to retain their function. Similarly, for many tourism developments outside of urban areas, property values are not sufficient to warrant the cost of coastal protection, particularly when the implementation of structural protection would result in loss of coastal tourism aesthetics and not prevent the ‘drowning’ of critical beach assets (both of which result in diminished tourism property values). Therefore, for this analysis of adaptation, only urban areas were considered candidates for structural coastal protection.

Table 10 illustrates the distance of either levee or sea wall systems that would be required to protect the 19 largest CARICOM cities from direct (seaward) and indirect (via rivers or other low lying areas) inundation by SLR. In some cities, partial protection systems already exist, but are not yet adapted to future SLR. The construction and annual maintenance costs of levees and sea wall systems⁹² are also outlined for each city in Table 10 and is illustrated in Figure 10 for Belize City. Cumulatively, the construction of the estimated 301 km of new or improved coastal defences required to structurally protect these Caribbean cities from SLR projected for the 21st Century would cost between US \$1.2 and 4.4 billion⁹³. Annual maintenance of these protection schemes is estimated at US \$111 to 128 million.⁹⁴

Critically, the implementation of such an adaptation strategy for SLR takes time. Previous coastal defence projects have shown that implementing coastal protection infrastructure typically has a lead-time of 30 years or more.⁹⁵ Therefore to have such structural protection systems in place shortly after mid-century would require the planning and financing of these major infrastructure projects to commence within the next 10-15 years. The costs of such coastal protection scheme are beyond the financial capacity of local governments and may exceed the capabilities of some small island nations. The urgency for the international community to negotiate adaptation funding therefore cannot be understated.

90 Nicholls, R. and A. Cazenave. 2010. Sea-Level Rise and Its Impact on Coastal Zones. *Science*, 328(18): 1517-1520.

91 Nicholls, R. and Tol, R. 2006. Impacts and responses to sea-level rise: a global analysis of the SRES scenarios over the twenty-first century. *Phil. Trans. R. Soc. A*, 364, 1073-1095.

92 Using estimates from: Herberger, M., Cooley, H, Herrera, P., Gleick, P. and Moore, E. 2009. The impacts of Sea-Level Rise on the California Coast. California Climate Change Center for the State of California. Sacramento, California.

93 All figures are in US \$, 2010 prices


94 It must be recognised that at some point in the future the design event will be exceeded or some other unforeseen circumstances will lead to failure of protection systems and catastrophic damages will occur. No attempt has been made to estimate the economic impact of such events.

95 Hallegatte, S. 2008. Strategies to adapt to an uncertain climate change. *Global Environmental Change*, 19, 240-247.

Table 10: Coastal Protection Cost Estimates for CARICOM Cities

City	Length of Protection Works Required (km)	New Levee Construction (millions US \$)	New Sea Wall Construction (millions US \$)
Belize City	40.13	\$197.4	\$684.3
Bridgetown	8.43	\$41.5	\$143.9
Cap Haiten	14.31	\$70.4	\$244.1
Carrefour	8.45	\$41.6	\$144.2
Dangriga	6.40	\$31.5	\$109.2
Fort Liberte	4.74	\$23.3	\$80.9
Freeport	48.55	\$238.9	\$828.0
Georgetown, Guyana	12.48	\$61.4	\$212.8
Gonaives	4.58	\$22.6	\$78.2
Kingston	58.27	\$286.7	\$993.8
Kingstown	3.73	\$18.3	\$63.6
Les Cayes	3.69	\$18.1	\$62.9
Montego Bay	18.75	\$92.3	\$319.8
Nassau	35.91	\$176.7	\$612.4
New Amsterdam	4.60	\$22.6	\$78.4
Petit Goave	3.55	\$17.5	\$60.5
Port au Prince	14.05	\$69.1	\$239.6
Port of Spain	11.43	\$56.0	\$194.9
Roseau	4.27	\$21.0	\$72.9
Saint Marc	6.08	\$29.9	\$103.6
San Fernando	7.62	\$37.5	\$130.0
Scarborough	2.24	\$11.0	\$38.2
St. Johns	4.93	\$24.3	\$84.1
Total	301	\$1,283.3	\$4,448.8

Figure 10: Extent of Coastal Protection Works Required for Belize City, Belize (for a 1-2m scenario)



4. Actuarial Analysis of the Costs of Losses and Damages Associated with Sea Level Rise

The countries of CARICOM are at varying levels of socio-economic development. Some are reliant on agriculture, others have an industrial base, while the remainder have a service oriented economy based on tourism and financial services.⁹⁶ Coupled with geophysical differences, this variation in economic focus results on the differential vulnerability of each country to climate change.

This study of the economic implications of climate change for CARICOM nations builds on work completed in Phase I in 2009⁹⁷, previous economic studies^{98,99,100} as well as recent developments in approaches by the ECA¹⁰¹ in estimating impacts due to climate change. To the extent possible, comparable metrics of economic impact and valuation techniques have been used to facilitate comparisons with the literature, however as some recent studies do not provide transparent methods needed for peer review,¹⁰² the extent of compatibility of approaches remains uncertain.

The scope of the study limited the analysis to the consideration of climate change impacts resulting from substantive SLR of 1m and 2m by 2100 on the terrestrial areas of the countries of CARICOM. The sole consideration of SLR excludes event hazards, such as storm surge, as well as other metrics of climate change (e.g., changes in mean and extreme temperature and precipitation). Consequently, impacts on ecosystem services, which are most vulnerable to impacts other than SLR will be conservative. Offshore impacts, including those on coral reefs, oil platforms and fisheries, are not considered. While this study provides the most detailed analysis to date of the damages and costs associated with SLR, it does not represent a comprehensive assessment of the economic implications of climate change for the CARICOM countries.

96 Greene, E., 2009. Perspectives on water security in caribbean small island developing states: keynote address. Accessed from http://www.caricom.org/jsp/speeches/water_security_green_e.jsp.

97 Simpson, M.C., Scott, D., New, M., Sim, R., Smith, D., Harrison, M., Eakin, C.M., Warrick, R., Strong, A.E., Kouwenhoven, P., Harrison, S., Wilson, M., Nelson, G.C., Donner, S., Kay, R., Geldhill, D.K., Liu, G., Morgan, J.A., Kleypas, J.A., Mumby, P.J., Palazzo, A., Christensen, T.R.L., Baskett, M.L. Skirving, W.J., Elrick, C., Taylor, M., Magalhaes, M., Bell, J., Burnett, J.B., Rutt, M.K., and Overmas, M., Robertson, R. 2009. An Overview of Modeling Climate Change Impacts in the Caribbean Region with contribution from the Pacific Islands, United Nations Development Programme (UNDP), Barbados, West Indies.

98 Bueno, R., Herzfeld, C., Stanton, E.A. and Ackerman, F. 2008. The Caribbean and Climate Change: The Costs of Inaction. Stockholm Environment Institute. Accessed from <http://ase.tufts.edu/gdae/CaribbeanClimate.html>.

99 Haites, E., 2002. Assessment of the Economic Impact of Climate Change on CARICOM Countries. In: Vergara, W., ed. Environment and Socially Sustainable Development – Latin America and Caribbean. World Bank.

100 Tol, R.S.J. 2002. Estimates of the Damage Costs of Climate change: Benchmark estimates. *Environmental and Resource Economics*, 21, 47-73.

101 Economics of Climate Change Working Group (ECA). 2009. Shaping climate resilient development: a framework for decision making. Accessed from http://www.mckinsey.com/App/Media/Images/Page/Images/Offices/SocialSector/PDF/ECA_Shaping_Climate%20Resilient_Development.pdf.

102 Caribbean Catastrophe Risk Insurance Facility. 2010. Enhancing the Climate Risk and Adaptation Fact Base for the Caribbean. Caribbean Catastrophe Risk Insurance Facility. Cayman Islands: Grand Cayman

Climate change is a threat-multiplier as it has the potential to cause feedbacks throughout the economy; the interacting impacts and second-order and tertiary effects on the economy and society could potentially cause the greatest damage.¹⁰³ These impacts are outside the scope of the current study. The constituents of the economy are also likely to change over the multi-decade study period and these changes are not captured by the SRES socio-economic scenarios used to represent future demographic and economic changes in the region, and therefore could not be accounted for in this analysis.

4.1 METHODOLOGY FOR ECONOMIC ANALYSIS

The methodology for the economic analysis incorporates a combination of top-down and bottom-up approaches, encapsulated in a macro, meso- and micro-analysis outlined in Figure 11. Each country is modelled individually in this approach. The purpose of assessing individual components of the economy is to combine macro level data such as gross domestic product (GDP) with detailed modelling of the geospatial impacts of SLR. A particular strength of the study is that it has developed the most detailed geographic reality of coastal geomorphology and development for the region. No other study has this level of detail in geospatial data on land use and physical coastal characteristics that make properties, infrastructure, natural areas and people vulnerable to SLR.

SLR scenarios of 1m and 2m are considered for the 21st Century. These estimates of impacts are interpolated to determine impacts for 2050 and 2080. As illustrated in Figure 11 there are two types of cost estimates calculated: annual costs and capital costs. The annual costs capture the ongoing costs to the economy from the impact of SLR damages, while the capital costs identify the rebuild/relocation costs due to the direct damage as well as the lost land value. Capital costs estimated at 2050 and 2080 are not additive but cumulative damage costs at each of these periods. Due to limitations in data availability, proxies and extrapolations across countries are used where necessary.

¹⁰³ Due to time and data availability constraints, a full system analysis was not undertaken. A full system analysis is effectively a further development on the above methodology but identifies not only direct impacts due to climate change but also elucidates indirect impacts as they cascade through the economy. It includes feedbacks between macro, micro and meso analysis and the interactions between countries.

It is not possible to predict future GDP and population growth with any degree of confidence over such a long-term time frame, we have used growth scenarios based on downscaled (country by country) estimates for the IPCC SRES A2 and B1 scenarios.¹⁰⁴ Where projections were considered unrealistic these were adjusted accordingly.¹⁰⁵

The A2 and B1 scenarios were combined in Table 11 with the SLR scenarios and real growth estimates to provide a cost range¹⁰⁶. Using A2 and B1 economic growth for extreme scenarios is imprecise, as small island state economies will be impacted by the climate impacts that are not reflected in the GDP numbers. However using this approach is illustrative, as it implicitly projects the damage against a baseline scenario where there is no climate change, and it gives an upper bound on the potential economic losses.

¹⁰⁴ PBL Netherlands Environmental Assessment Agency. 2006. Downscaling drivers of global environmental change. Accessed from <http://www.pbl.nl/en/publications/2006/DownscalingDriversOfGlobalEnvironmentalChangeScenarios.html>

¹⁰⁵ For example, the economic growth projections for Haiti were adjusted down from 6% to 4% for the B1 scenario and from 4.5% to 3% for the A2 scenario. The continuing vulnerability of Haiti to natural disasters such as the recent earthquake (believed to have cost the Haitian economy 15% of GDP) means that the economy is exposed to risk, which is reflected by the lower (but still substantial) growth assumption.

¹⁰⁶ This is not an upper and lower bound on costs, but provides a range for different 'what if' scenarios.

Figure 11: Methodological Framework of Economic Analysis




Table 11: High SLR and Mid range SLR Scenarios used in the Cost Estimation

	SLR by 2100	Real wage/property growth	Population and GDP growth scenario ¹⁰⁷
High SLR scenario	2m	2%	B1
Mid range SLR scenario	1m	1%	A2

The A2 scenario describes a heterogeneous world where economic development is primarily regionally oriented and per capita growth and technological change is slower than other scenarios. Fertility patterns are slow to converge resulting in continuously increasing global population while the B1 scenario is marked by a global population that peaks mid-century and declines thereafter. In the B1 scenario, the emphasis is on global solutions with rapid changes in economic structures.¹⁰⁸ For the Caribbean region, the B1 scenario is characterized by high growth in GDP, particularly the lower income countries, before reducing after 2050 as GDP per capita converges while the A2 scenario has lower, more constant growth throughout the century. Population growth remains steady for the A2 scenario while the B1 scenarios sees growth rates reducing following a peak in populations towards the middle of the century (Table 12).

¹⁰⁷ Downscaled population and GDP growth scenarios were taken from the PBL Netherlands Environmental Assessment Agency (PBL, 2006).

¹⁰⁸ Nakicenovic, N., Alcamo, J., Davis, G., de Vries, B., Fenhann, J., Gaffin, S., Gregory, K., Grübler, A., Jung, T.Y., Kram, T., La Rovere, E.L., Michaelis, L., Mori, S., Morita, T., Pepper, W., Pitcher, H., Price, L., Riahi, K., Roehrl, A., Rogner, H-H., Sankovski, A., Schlesinger, M., Shukla, P., Smith, S., Swart, R., van Rooijen, S., Victor, N., Dadi, Z. 2000. Summary for Policy makers Emissions scenarios. In IPCC: Emissions Scenarios. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.

Table 12: Annual Changes in GDP and Population for the A2 and B1 Scenarios¹⁰⁹

	B1				A2			
	2050 - GDP	2080 - GDP	2050 - Pop	2080 - Pop	2050 - GDP	2080 - GDP	2050 - Pop	2080 - Pop
Antigua & Barbuda ¹¹⁰	2.93%	2.11%	0.25%	-0.07%	2.70%	2.48%	0.81%	0.78%
Barbados	2.86%	2.05%	0.03%	-0.29%	2.42%	2.29%	0.47%	0.52%
Belize	5.70%	4.24%	1.09%	0.63%	4.53%	3.93%	1.81%	1.53%
Dominica	3.88%	3.34%	0.06%	0.31%	2.82%	2.70%	0.45%	0.54%
Grenada	3.02%	2.79%	-0.39%	0.03%	2.18%	2.29%	-0.03%	0.24%
Guyana	3.41%	2.53%	-1.08%	-1.37%	2.85%	2.84%	0.01%	0.19%
Haiti ¹¹¹	4.00%	4.00%	0.88%	0.63%	3.00%	3.00%	1.52%	1.34%
Jamaica	5.48%	4.12%	0.66%	0.29%	4.15%	3.72%	1.34%	1.20%
Montserrat	3.64%	3.21%	-0.11%	0.21%	3.44%	3.10%	0.96%	0.86%
St. Kitts & Nevis	2.37%	2.27%	-0.42%	0.01%	1.89%	2.02%	-0.05%	0.22%
St. Lucia	3.79%	2.89%	0.09%	-0.13%	3.28%	3.07%	0.88%	0.90%
St. Vincent & the Grenadines	4.16%	3.13%	0.05%	-0.25%	3.46%	3.21%	0.87%	0.87%
Suriname	4.62%	3.58%	0.03%	-0.17%	3.65%	3.43%	0.91%	0.93%
The Bahamas	3.01%	2.17%	0.48%	0.14%	2.98%	2.67%	1.14%	1.04%
Trinidad & Tobago ¹¹²	2.93%	2.11%	0.25%	-0.07%	2.70%	2.48%	0.81%	0.78%

The GDP growth assumptions are real (i.e., the economic growth in excess of inflation). However, many of the damage estimates that are being estimated are linked to wage or property prices. Typically, wages and property growth are linked in the long term, and together display real growth over and above inflation, but below the economies' growth rate. The approach we have taken reflects standard actuarial practice for valuing low term real trends, such as pension fund costs.

¹⁰⁹ PBL Netherlands Environmental Assessment Agency, 2006. Downscaling drivers of global environmental change. Accessed from <http://www.pbl.nl/en/publications/2006/DownscalingDriversOfGlobalEnvironmentalChangeScenarios.html>.

¹¹⁰ Not included in PBL data set. Assumed average of Barbados and the Bahamas as these have similar GDP per capita and sectoral make up.

¹¹¹ Capped at 4% for B1 and 3% for A2. Original projects considered unrealistic considering damage caused by 2009 earthquake.

¹¹² Not included in PBL data set. Assumed average of Barbados and the Bahamas as these have similar GDP per capita and sectoral make up.

Along with the uncertainty surrounding growth projections, other factors such as the urban-rural population divide and sectoral contribution to GDP are assumed to remain in the same proportion, although in reality these are likely to change.

The methods utilised to estimate specific capital losses included:

Wetland loss: Depending on type, wetlands provide a number of goods and services that are of value to society; including flood control, storm buffering, groundwater recharge and carbon sequestration¹¹³. Wetland loss varies between islands due to island type with the small islands and cays of the Bahamas and the large coastal plains of Suriname, Guyana and Belize being highly vulnerable. Wetland loss constitutes land that is permanently lost. Wetland value is assumed to increase with income and population density, and fall with wetland size. The calculation of the asset value of this loss is carried using the model established by Anthoff and Tol (2010):¹¹⁴

$$VW_{t,r} = \alpha \left(\frac{Y_{t,r}}{Y_0} \right)^\beta \left(\frac{d_{t,r}}{d_0} \right)^\gamma \left(\frac{W_{1990,r} - W_{t,r}^c}{W_{1990,r}} \right)^\delta$$

Where Y is the income per capita, $d_{t,r}$ is the population density, W_c is the cumulative wetland loss as time t in region r. $W_{1990,r}$ is the wetland area in 1990 taken to be current wetland area (as derived from GIS spatial analysis – Section 3.3), and d_0 and Y_0 are normalisation constants taken as the OECD average of 33p/km² (person per square kilometre) and US \$25,000p/yr (person per year), respectively. α , β , γ and δ are parameters taken as the Latin American average of US \$780,000,¹¹⁵ 1.16, 0.47 and -0.11 respectively. Wetland value was estimated at between \$300,000/km² for Guyana and \$3,500,000/km² for the Bahamas. These estimates are supported by a Latin American average of \$900,000/km².¹¹⁶

113 Brander, L.M., Florax, R.J. and Vermaat, J.E. 2006. The empirics of wetland valuation: a comprehensive summary and meta-analysis of the literature. *Environmental & Resource Economics*, 33, 223-250.

114 Anthoff, D., Nicholls, R.J. and Tol, R.S., 2010. The economic impact of substantial sea-level rise. *Mitigation and Adaptation Strategies for Global Change*, 15, pp.321-335.

115 Fankhauser, S. 1994. Protection vs retreat—the economic costs of sea level rise. *Environ. Plann. A* 27, 299–319.

116 Tol, R.S.J. 2002. Estimates of the Damage Costs of Climate change: Benchmark estimates. *Environmental and Resource Economics*, 21, 47-73.

Dryland loss: Dryland loss is estimated as proportional to the income density (US \$/km²) of the country and similarly calculated using the model established by Anthoff and Tol (2010).¹¹⁷ The following calculation provides a cost/km² of land lost:

$$VD_{t,r} = \varphi \left(\frac{Y_{t,r}/A_{t,r}}{YA_0} \right)^\varepsilon$$

Where $VD_{t,r}$ is the unit value of dryland (US \$/km²), $Y_{t,r}$ is the total income and $A_{t,r}$ is the area at time t in region r . YA_0 is a normalisation constant (US \$0.635 million/km²) and ε and φ are parameters with values 1 and 4 respectively. Estimates are comparable to those derived from a World Bank study in 2002¹¹⁸ that valued land loss between US \$0.4 and US \$1 million per hectare.¹¹⁹

Residential property: A pronounced impact of SLR is the forced displacement of populations. Populations tend to cluster near water-courses, resulting in the effect of SLR being amplified. On many of the islands of the Caribbean, all the population live within 10 km of the coast.¹²⁰ This is important for two reasons: first that they are disproportionately vulnerable to SLR, but also they are dependent on economic sectors that are more likely to be reliant on coastal activities. For reconstruction costs, the estimation uses a figure of \$100,000¹²¹ for a four-person home and the replacement of service at an average cost of US \$8,173 per person.¹²² As construction costs would vary within each country, this is partially weighted by GDP per capita as this would represent variations in building costs.

Tourist resorts: Rebuild cost was also estimated for tourist resorts, where the reconstruction cost of the lost resorts was based on typical rebuild cost of US \$100,000,000.¹²³ This is the higher end of the rebuild estimate range, reflecting

117 Anthoff, D., Nicholls, R.J. and Tol, R.S., 2010. The economic impact of substantial sea-level rise. *Mitigation and Adaptation Strategies for Global Change*, 15, pp.321-335.

118 Haites, E, Pantin, D., Attz, M., Bruce, J. 2002. Assessment of the Economic Impact of Climate Change on Caricom Countries. Report to World Bank: Latin America and Caribbean.

119 Toba, N., 2009. Potential Economic Impacts of Climate Change in the Caribbean Community. LCR Sustainable Development Working Paper No. 32. World Bank.

120 Burke, Lauretta and Maidens, J. 2004. Reefs at risk in the Caribbean. World Resources Institute. Washington. Accessed from <http://www.wri.org/publication/reefs-risk-caribbean> (Accessed 28 Oct 2010)

121 US \$10,000 is considered a conservative estimate of construction cost for a house. This has been taken from a desktop study of online estate agents and construction engineers.

122 Haites, E, Pantin, D., Attz, M., Bruce, J. 2002. Assessment of the Economic Impact of Climate Change on Caricom Countries. Report to World Bank: Latin America and Caribbean.

123 Fish, M.R., Côté, I.M., Horrocks, J.A., Mulligan, B., Watkinson, A.R., Jones, A.P. 2008. Construction setback regulations and sea-level rise: mitigating sea turtle nesting beach loss. *Ocean and Coastal Management* 51, 330-341. This is the higher end of the rebuild estimate range, reflecting the increased land costs as development opportunities diminish, the need to purchase properties further away from the coastline that increasingly will have been previously developed, and the need to incorporate additional shoreline protection to the extent possible to protect new properties to ongoing impacts of SLR.

the increased land costs as development opportunities diminish, the need to purchase properties further away from the coastline that increasingly will have been previously developed, and the need to incorporate additional shoreline protection to the extent possible to protect new properties to ongoing impacts of SLR.

Infrastructure: Road infrastructure rebuild was determined on a km of road infrastructure inundated, where the cost of rebuild of a two-lane paved road was US \$410,000 in 2007.¹²⁴ As for residential property construction costs for roads would vary within each country, this is partially weighted by GDP per capita as this represent variations in labour and other costs.

Sea Ports and Airports: Rebuild costs for airports were based on a figure of US \$65 million (established based on interview with civil engineering firms for the Phase I report).¹²⁵ For ports a typical rebuild cost of US \$20 million was used for smaller ports. However, Kingston Container terminal is a major transshipment port for the region and therefore a rebuild cost of US \$600 million¹²⁶ was used. A GDP per capita weighting similar to that applied to roads was applied to rebuild costs for airports and ports.

Power Plants: Estimates of construction costs of power plants are dependent on the plant capacity as well how it is fired. These estimates tend to be consistent globally, although annual increases in costs are high. A recent study in the U.S. suggested a rule of thumb of US \$2100 per kW (kilowatt).¹²⁷ This figure supports the reported projected cost of a new 150MW (megawatt) plant in Jamaica in 2006 of US \$300 million.¹²⁸ Existing plant capacities vary considerably in the Caribbean and are typically oil-fired. An average rebuild capacity of 150MW is adopted based on typical existing sites such as Clifton Pier in the Bahamas.¹²⁹

124 Toba, N. 2009. Potential Economic Impacts of Climate Change in the Caribbean Community. LCR Sustainable Development Working Paper No. 32. World Bank.

125 Simpson, M.C., Scott, D., New, M., Sim, R., Smith, D., Harrison, M., Eakin, C.M., Warrick, R., Strong, A.E., Kouwenhoven, P., Harrison, S., Wilson, M., Nelson, G.C., Donner, S., Kay, R., Geldhill, D.K., Liu, G., Morgan, J.A., Kleypas, J.A., Mumby, P.J., Palazzo, A., Christensen, T.R.L., Baskett, M.L. Skirving, W.J., Elrick, C., Taylor, M., Magalhaes, M., Bell, J., Burnett, J.B., Rutt, M.K., and Overmas, M., Robertson, R. 2009. An Overview of Modeling Climate Change Impacts in the Caribbean Region with contribution from the Pacific Islands, United Nations Development Programme (UNDP), Barbados, West Indies

126 The cost of a 'makeover' at Venezuela's largest port, Puerto Cabello, was projected to be US \$600m in 2010 Leander, T., Venezuela's main port in line for \$600m makeover. See: <http://www.loydslist.com/ll/sector/ports-and-logistics/article344022.ece>.

127 Kaplan, S. 2008. Power plants: characteristics and costs. CRS Report for Congress, RL34746. Washington, DC: Congressional Research Service.

128 Thame, C. 2006. Jamaica public service to build 150MW plantto be fuelled by coal. Jamaica Gleaner. Accessed from <http://www.jamaica-gleaner.com/gleaner/20060920/business/business1.html>.

129 Mott, M. 2010. Clifton Pier Diesel Power Station, Bahamas. Power. Accessed from <http://www.power.mottmac.com/projects2/thermalanddesalinationprojects/cliftonpier/>

The methods utilised to estimate specific annual losses include:

Tourist expenditure loss: Annual tourism expenditure loss is estimated by assuming a loss of amenity factor where SLR causes beach loss and hence reduced the attractiveness of the country to tourism.¹³⁰ Assuming beach loss resulting from SLR would have a similar impact as beach erosion from storm events today,¹³¹ the contribution of tourist expenditures to GDP is assumed to decline by 20% for the proportion of beach area lost. The proportion of beach loss is determined using resort loss as a proxy. As resorts are based in the most favourable beach locations, their inundation serves as a suitable beach loss proxy.

Agriculture loss: For island states, the ability to relocate lost agricultural land is limited due to land availability constraints. To represent this restriction, population density is used as a proxy for land flexibility. As population density increase, the proportion of agricultural activity that can be relocated is inversely proportional to its population density. It is considered that the reduction in contribution of agriculture to GDP is proportional to the proportion of agricultural land inundated and population density subject to a normalisation parameter (in this report, the normalisation parameter is the country with the largest population density in the base year, i.e., Barbados).

Industry loss: Industry in the region is predominantly export based and thus requires a functioning infrastructure. Therefore, impacts on the road network act as a proxy for impacts on industry where it is assumed that any loss in infrastructure would have a corresponding impact on industry. Although infrastructure would be rebuilt, the associated interruption is considered to cause annual losses of 5% of the proportion of road loss.

Impacts of Erosion: For the case of tourist resort impacts, further analysis was conducted to determine the combined impacts of SLR and its associated erosion (Section 3.3.3). To be consistent with estimates described above, a high SLR and mid-range SLR case was determined (both using an erosion estimate of 50 times vertical SLR – Section 3.3.3). The costs of rebuild were estimates using the same procedure as outlined in the previous section, but with the new estimates of resorts impacted.

130 Buzinde, C.N., Manuel-Navrette, D., Yoo, E.E., Morais, D. 2010. Tourists' Perceptions in a Climate of Change: Eroding Destinations. *Annals of Tourism*, 37(2), 333-354.

131 Raybould, M., Mules, T. 1999. A cost-benefit study of protection of the northern beaches of Australia's Gold Coast. *Tourism Economics*, Vol. 5, No. 2, pp. 121-139.

4.2 ECONOMIC IMPACTS OF SLR FOR CARICOM

The study finds that the costs of SLR escalated significantly towards the end of the century, as greater SLR combines with increasing populations and GDP. Table 13 summarizes the pronounced annual and capital costs of SLR to CARICOM countries in 2050 and 2080 under mid-range and high SLR scenarios. In 2050 capital costs were estimated to be between US \$26 to US \$60.7 billion, while annual costs ranged from US \$3.9 to US \$6.1 billion. Estimates for capital GDP loss to CARICOM states in 2080 were projected to be between US \$68.2 and US \$187 billion. This was equivalent to between 8.3% and 19.2% of GDP respectively. Annual costs for 2080 were projected to be between US \$13.5 and US \$19.4 billion per annum (1.6% to 2% of GDP in 2080).

Table 13: Annual and Capital Costs of SLR in CARICOM Countries (in 2010 US \$)

	2050		2080	
	Annual Costs (US \$ billion)	Capital Costs (US \$ billion)	Annual Costs (US \$ billion)	Capital Costs (US \$ billion)
Mid-Range SLR Scenario	3.9	26	13.5	68.2
High SLR Scenario	6.1	60.7	19.4	187

As Figure 12 and Figure 13 illustrate, both capital costs and annual costs of SLR more than doubled in many countries between 2050 and 2080. Countries with tourism dependent economies were particularly affected with annual costs. For example, The Bahamas tourism sector incurs annual losses of between US \$869 and US \$946 million in 2050 and between US \$2.2 and US \$2.6 billion in 2080. Typically, large annual impacts on the agriculture sector were avoided, except in the case of Haiti, which incurs losses of around 1% per annum of GDP in 2080 from agriculture alone. Impacts on industry were found to be negligible in almost all cases. However, this is believed to be a limitation of the analysis (not accounting for secondary and tertiary feedbacks in the economy) rather than indicating a resilient industrial base for the CARICOM countries. As discussed previously, undertaking a full system analysis would provide greater scope for determining impacts on this sector.

Much of the region's capital costs will occur in the Bahamas (airports, tourism and dryland losses), Jamaica (sea ports, tourism and dryland losses), and Haiti (dryland and property losses). Capital costs were dominated for the most part by dryland losses (US \$9.4 to 21 billion in 2050, US \$30.1 to 60.6 billion in 2080) and rebuild costs of tourist resorts (US \$10 to US \$23.3 billion in 2050 and US \$23.5 to US \$74 billion in 2080)¹³² A summary of the total costs split by sector and country are shown for 2050 in Table 14 and Table 15 and total costs for 2080 are found in Table 16 and Table 17.

¹³² Particularly concerning is the amplifying effects erosion has on the mid range scenario, where rebuild costs were projected to increase by several hundred percent in several cases. Most notable in this case was Barbados where costs increased from US \$945 million to US \$6.6 billion in the mid range SLR scenario in 2080.

Table 14: Annual and capital costs mid range SLR scenario 2050

Countries	GDP (US \$million)	Annual Costs (US \$million)				Capital Costs (US \$million)								
		Tourism	Agriculture	Industry	Total	Airports	Ports	Roads	Power plants	Property	Tourist resorts	Dryland loss	Wetland loss	Total
Antigua & Barbuda	4,538	102	0	0	103	-	19	1	-	43	668	307	-	1,038
Barbados	14,563	283	1	-	283	-	16	-	-	34	401	249	-	701
Belize	20,573	518	0	2	521	57	38	11	208	44	2,139	387	4	2,889
Dominica	2,446	16	1	3	20	-	24	4	-	7	-	26	-	62
Grenada	2,697	19	4	0	23	30	10	0	-	20	334	95	-	489
Guyana	21,214	-	0	14	14	-	-	27	208	87	-	84	21	427
Haiti	59,797	27	144	1	172	15	5	2	-	333	869	594	4	1,822
Jamaica	138,287	1,075	14	14	1,102	43	1,223	8	-	129	535	1,015	1	2,954
Montserrat	111	-	0	0	0	-	17	0	-	0	-	3	-	20
St. Kitts & Nevis	1,565	30	0	0	30	44	15	0	-	13	936	58	-	1,065
St. Lucia	7,438	41	0	0	42	42	57	0	-	16	134	118	-	367
St. Vincent & the Grenadines	4,655	46	5	0	51	81	54	0	-	20	134	156	-	445
Suriname	23,758	10	0	9	19	-	16	33	-	47	67	65	18	247
The Bahamas	33,764	869	2	8	878	926	234	110	625	469	3,208	4,348	650	10,570
Trinidad & Tobago	85,497	608	3	12	622	54	37	2	-	308	535	1,977	-	2,913
Total	420,904	3,642	176	62	3,880	1,292	1,766	199	1,041	1,571	9,958	9,484	698	26,010

Table 15: Annual and capital costs high range SLR scenario 2050

Countries	GDP (US \$million)	Annual Costs (US \$million)				Capital Costs (US \$million)								
		Tourism	Agriculture	Industry	Total	Airports	Ports	Roads	Power plants	Property	Tourist resorts	Dryland loss	Wetland loss	Total
Antigua & Barbuda	4,983	145	1	1	147	81	30	2	309	164	1,802	759	-	3,147
Barbados	15,916	368	1	-	369	-	26	-	-	87	2,402	462	-	2,978
Belize	24,769	654	2	4	660	72	53	22	309	182	3,804	1,425	18	5,885
Dominica	3,543	27	2	4	33	64	47	7	-	19	100	63	-	300
Grenada	3,729	35	8	0	43	56	20	0	-	47	801	212	-	1,137
Guyana	20,360	-	0	14	14	-	-	52	309	366	-	196	68	991
Haiti	59,797	32	283	3	318	21	8	5	-	1,208	1,702	1,366	10	4,319
Jamaica	211,674	2,516	52	24	2,592	215	3,167	16	309	376	1,902	3,027	3	9,016
Montserrat	125	-	0	0	0	-	30	0	-	1	-	5	-	37
St. Kitts & Nevis	1,898	44	0	0	44	77	28	0	-	32	1,702	120	-	1,959
St. Lucia	8,023	80	1	0	81	62	91	0	-	39	300	217	-	709
St. Vincent & the Grenadines	5,695	112	10	0	123	197	97	1	-	46	500	303	-	1,144
Suriname	28,736	12	0	13	25	-	29	66	309	242	200	234	75	1,155
The Bahamas	30,449	946	3	9	959	1,486	289	167	1,237	1,440	6,606	8,487	1,226	20,939
Trinidad & Tobago	84,865	644	5	22	671	71	52	6	-	995	1,501	4,379	-	7,004
Total	504,562	5,615	370	95	6,079	2,402	3,968	344	2,782	5,245	23,323	21,257	1,400	60,720

Table 16: Annual and capital costs mid range SLR scenario 2080

Countries	GDP (US \$million)	Annual Costs (US \$million)				Capital Costs (US \$million)								
		Tourism	Agriculture	Industry	Total	Airports	Ports	Roads	Power plants	Property	Tourist resorts	Dryland loss	Wetland loss	Total
Antigua & Barbuda	8,657	340	3	2	344	-	46	2	-	102	1,576	1,024	-	2,749
Barbados	25,026	850	2	-	852	-	40	-	-	81	946	750	-	1,817
Belize	39,454	1,740	2	8	1,750	98	66	19	208	104	5,045	1,300	8	6,847
Dominica	4,939	55	7	9	71	-	66	10	-	17	-	93	-	186
Grenada	5,495	66	17	0	84	90	30	0	-	47	788	339	-	1,295
Guyana	37,673	-	0	43	43	-	-	76	208	205	-	261	65	816
Haiti	97,669	76	655	4	735	32	11	4	-	785	2,049	1,698	7	4,586
Jamaica	318,642	4,334	114	55	4,502	98	4,010	19	-	305	1,261	4,094	3	9,789
Montserrat	253	-	0	0	0	-	44	1	-	1	-	10	-	56
St. Kitts & Nevis	3,012	101	1	0	102	132	44	0	-	30	2,207	196	-	2,609
St. Lucia	14,896	144	3	0	147	98	132	0	-	37	315	414	-	996
St. Vincent & the Grenadines	10,064	174	34	1	208	201	135	1	-	47	315	592	-	1,290
Suriname	49,327	36	0	33	69	-	38	78	-	111	158	237	50	673
The Bahamas	58,444	2,632	10	23	2,664	1,779	449	211	625	1,107	7,567	13,171	1,422	26,331
Trinidad & Tobago	147,446	1,835	13	35	1,883	119	80	5	-	726	1,261	5,968	-	8,159
Total	820,996	12,383	861	211	13,455	2,646	5,191	427	1,041	3,705	23,489	30,147	1,555	68,200

Table 17: Annual and capital costs high SLR scenario 2080

Countries	GDP (US \$million)	Annual Costs (US \$million)				Capital Costs (US \$million)								
		Tourism	Agriculture	Industry	Total	Airports	Ports	Roads	Power plants	Property	Tourist resorts	Dryland loss	Wetland loss	Total
Antigua & Barbuda	6,687	340	2	3	345	227	84	7	309	519	5,711	1,783	-	8,640
Barbados	21,126	854	2	-	857	-	76	-	-	276	7,615	1,074	-	9,041
Belize	48,569	2,244	6	15	2,264	240	177	73	309	578	12,057	4,891	71	18,396
Dominica	7,691	103	10	14	128	199	146	22	-	59	317	241	-	984
Grenada	7,758	127	36	0	164	170	62	1	-	150	2,538	772	-	3,694
Guyana	30,408	-	0	36	36	-	-	209	309	1,161	-	513	275	2,467
Haiti	193,945	183	1,756	15	1,955	73	27	18	-	3,830	5,394	7,756	67	17,164
Jamaica	419,213	8,720	170	85	8,974	761	18,408	58	309	1,191	6,029	10,492	11	37,259
Montserrat	273	-	0	0	0	-	94	1	-	4	-	19	-	118
St. Kitts & Nevis	3,581	144	2	0	146	216	79	0	-	102	5,394	398	-	6,189
St. Lucia	13,218	231	2	0	233	200	294	0	-	123	952	626	-	2,194
St. Vincent & the Grenadines	9,518	328	24	1	354	677	332	2	-	146	1,586	886	-	3,629
Suriname	54,755	39	0	43	83	-	107	240	309	767	635	779	302	3,138
The Bahamas	41,312	2,247	7	21	2,275	3,993	777	448	1,237	4,566	20,942	20,151	3,330	55,443
Trinidad & Tobago	113,886	1,512	10	51	1,573	199	146	17	-	3,155	4,759	10,283	-	18,560
Total	971,940	17,073	2,030	285	19,388	6,956	20,810	1,095	2,782	16,626	73,931	60,662	4,055	186,916

Figure 12: Summary of Annual Costs (US \$million) on CARICOM Countries





Figure 13: Summary of Capital Costs (US \$million) on CARICOM Countries



5. Conclusion and Summary for Policy Makers

The IPCC AR4 declared that ‘warming of the climate system is unequivocal’ and that the pace of climate change is ‘very likely’ to accelerate throughout the 21st Century if GHG emissions continue at or above current rates.¹³³ Indeed, analyses of GHG emission trajectories and mitigation commitments by the international community have led several recent studies to recommend that society should be preparing to adapt to +4°C global warming.^{134,135,136,137} SLR and the resulting erosion impacts are some of the most serious long-term threats of global climate change, as even if GHG emissions were stabilised in the near future and global temperatures stabilised at +2°C or 2.5°C, sea levels would continue to rise for many decades or centuries in response to a warmer atmosphere and oceans. Consequently, on human time scales, SLR represents a unidirectional, negative threat to coastal ecosystems and economies.

Studies of previous sea level responses to climate change reveal that SLR of 1m per century has not been unusual and that rates up to 2m per century have been observed.¹³⁸ Although present rates of global SLR are not yet approaching 1m per century, they are observed to be accelerating in response to increased global warming.¹³⁹ The IPCC AR4 projections of a global SLR of 18 to 59cm from 1990 to 2100 are thought to be highly conservative^{140,141} because they assumed a near-zero net contribution of the Greenland and Antarctic ice sheets.^{142,143} More recent studies that attempt to estimate the response of continental ice to global warming indicate that SLR by the end of the 21st Century could reach as much

133 Solomon, S., and D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M.Tignor, H.L. Miller (Eds.). 2007. *Climate Change 2007: The Physical Science Basis*. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press.

134 Anderson, K., & Bows, A. 2008. Reframing the climate change challenge in light of post-2000 emission trends. *Philosophical Transactions A*, 366(1882), 3863.

135 Allen, M.R., Frame, D.J., Huntingford, C., Jones, C.D., Lowe, J.A., Meinshausen, M., & Meinshausen, N. 2009. Warming caused by cumulative carbon emissions towards the trillionth tonne. *Nature*, 458(7242), 1163-1166.

136 Meinshausen, M., Meinshausen, N., Hare, W., Raper, S.C.B., Frieler, K., Knutti, R., Frame, D.J., & Myles, R.A. 2009. Greenhouse-gas emission targets for limiting global warming to 2°C. *Nature*, 458(7242), 1158– 1162.

137 Parry, M., Lowe, J., & Hanson, C. 2009. Overshoot, adapt and recover. *Nature*, 458(7242), 1102–1103.

138 Berger, W.H. 2008. Sea level in the late Quaternary: patterns of variation and implications. *International Journal of Earth Sciences*, 97, 1143–1150.

139 Rahmstorf S. 2010. A new view on sea level rise. *Nature Reports Climate Change*, doi:10.1038/climate.2010.29.

140 Oppenheimer, M., O'Neill, B., Webster, M., Agrawala, S. 2007. The limits of consensus. *Science*, 317, 1505-1506.

141 Pfeffer WT, Harper JT and O'Neel S. 2008. Kinematic Constraints on Glacier Contributions to 21st-Century Sea-Level Rise. *Science*, 321(5894), 1340-1343.

142 Solomon, S., and D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M.Tignor, H.L. Miller (Eds.). 2007. *Climate Change 2007: The Physical Science Basis*. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press.

143 Hansen, J. 2007. Scientific reticence and sea level rise. *Environmental Research Letters*, 2.

as 1.5m to 2m above present levels.^{144,145,146,147,148} Notably, with its proximity to the equator and due to gravitational and geophysical factors, SLR will be relatively more pronounced in the Caribbean than some other coastal areas of the world.^{149,150}

With the inextricable link between SLR and sustainable development of small islands and coastal areas increasingly recognised, there remains an urgent need to improve the information base on the risks posed by climate change impacts in the Caribbean and provide a robust foundation for adaptation decision making. The precautionary principle requires that in the absence of scientific certainty on extremes, policy-makers understand that the more extreme possibilities cannot be excluded. Therefore, consistent with other recent government SLR vulnerability assessments in the USA and Netherlands, this study examined the impacts of both +1m and +2m SLR scenarios for comparability and evaluates the current population, infrastructure and property risk if actions are not taken to protect the coast.

This study evaluates the current population, infrastructure, and property risk from projected SLR, if actions are not taken to protect the coast. This study represents the most comprehensive assessment of the consequences of projected SLR, storm surge, and erosion for the 15 CARICOM Member States. The impacts of SLR will not be uniform among the CARICOM nations, with some projected to experience severe impacts from even a 1m SLR. Based on available information, The Bahamas, Suriname, Guyana, Trinidad and Tobago, and Belize are anticipated to suffer the greatest economic losses and damages in absolute economic terms, while the proportional economic impacts (losses compared to the size of the national economy) are generally higher in the smaller economies of St. Kitts and Nevis, Antigua and Barbuda, Barbados, St. Vincent and The Grenadines and Grenada.

144 Rahmstorf, S. 2007. A Semi-Empirical Approach to Projecting Future Sea-Level Rise. *Science*, 315(5810), 368-370.

145 Vermeer M and Rahmstorf, S. 2009. Global sea level linked to global temperature. *Proceedings, National Academy of Sciences*, 106(51), 21527–21532.

146 Grinsted, A., Moore, J. C., and Jevrejeva, S. 2009. Reconstructing Sea Level from Paleo And Projected Temperatures 200 to 2100 AD. *Climate Dynamics* 34, 461–472.

147 Jevrejeva, S., Moore, J. C. & Grinsted. In Press. Recent Global Sea Level Acceleration Started over 200 years ago? *Geophysical Research Letters*, doi:10.1029/2010GL042947.

148 Horton, R, Herweijer, C, Rosenzweig, C, Liu, J, Gornitz, V. and Ruane, A. 2008. Sea Level Projections for Current Generation CGCMs based on semi-empirical method. *Geophysical Research Letters* 35, L02715.

149 Bamber, J.L., Riva, R., Vermeersen, B.L.A. and LeBrocq, A.M. 2009. Reassessment of the potential sea-level rise from a collapse of the West Antarctic Ice Sheet. *Science*, 324, 901-903.

150 Hu, A., Meehl, G., Han, W and Yin, J. 2009. Transient response of the MOC and climate to potential melting of the Greenland Ice Sheet in the 21st Century. *Geophysical Research Letters*, 36, L10707.

In nations where low lying-land is extensive and are therefore more exposed to the impacts of SLR and storm surge, concerns are of damage to agriculture, industry and infrastructure as well as salt water penetration into groundwater reservoirs. For nations with a more complex topography and characterized by steep sloped coasts fronted by only a narrow strip of low lying land, the main concerns are landslides, beach erosion and disruption to infrastructure that is concentrated in limited flat land areas.

Under a 1m SLR scenario, over 111,000 people in CARICOM will be displaced from their homes and many more will be put at greater risk from SLR enhanced storm surge events. Limited agricultural lands will be lost throughout the region, however it is the vital tourism industry that was found to be one of the most vulnerable economic sectors. Nearly one-third of major tourism resorts and airports are at risk to 1m SLR. A large majority of land around seaports, which are so vital to island economies, were also vulnerable to flooding from 1m SLR.

The geographic pattern of impacts among the CARICOM nations was found to remain broadly similar under a 2m SLR scenario, however the magnitude of impacts for the region as a whole and in the highly vulnerable nations was far more pronounced.

Set against the rises in sea surface levels, the extreme storm events that the Caribbean is subjected to annually, assume greater prominence even if the present intensity and frequency remain unchanged. The study examined the vulnerabilities associated with combined flooding risk of SLR and the probable storm surge related to a 1 in 100 year storm event. The number of people at risk was found to increase substantially, particularly in Antigua and Barbuda, Belize and The Bahamas, where over 10% of the population (over 20% for The Bahamas) is put at risk by such events. With a storm surge of this magnitude, many countries would see serious impacts to key infrastructure, such as airports (100% of airports at risk to damage in Antigua and Barbuda, Belize, Dominica, Grenada, St. Lucia, and St. Vincent and Grenadines) and tourism resorts (over 50% of resorts at risk in Antigua and Barbuda, Belize, Haiti, St. Kitts and Nevis, St. Vincent and Grenadines, and The Bahamas) because of their proximity to the coast.

Large areas of the Caribbean coast are highly susceptible to erosion, and beaches have experienced accelerated erosion in recent decades. This study undertook the first detailed assessment of SLR induced erosion damages to highly erodible coastal properties. We estimate that with a 1m SLR and a conservative estimate of associated erosion, 49% of the major tourism resorts in CARICOM countries would be damaged or destroyed. Erosion associated with a 2m SLR (or a high estimate for a 1m SLR), would result in an additional 106 resorts (or 60% of the region's coastal resorts) being at risk. Importantly, the beach assets so critical to tourism would be affected much earlier than the erosion damages to tourism infrastructure, affecting property values and the competitiveness of many destinations. Beach nesting sites for sea turtles were also at significant risk to beach erosion associated with SLR, with 51% significantly affected by erosion from 1m SLR and 62% by erosion associated with 2m SLR.

A vital question for policy-makers is to what extent can such damages be off-set by adaptation, including coastal protection schemes? Many coastal cities throughout the Caribbean utilise structures such as levees or sea walls as a means to protect densely populated urban areas and strategic infrastructure against erosion and flooding. This study completed the first assessment of the distance of coastal protection works (levee and/or sea wall systems) that would be required to protect the 19 largest CARICOM cities from direct (sea ward) and indirect (via rivers or other low lying areas) inundation by SLR. **It was found that 301 km of new or improved coastal defences would be required to structurally protect these Caribbean cities from SLR projected for the 21st Century. The construction costs are estimated at between US \$1.2 and US \$4.4 billion. Annual maintenance of these protection schemes is estimated at US \$111 to US \$128 million.** The costs of such coastal protection schemes are typically well beyond the financial capacity of local governments and in are highly likely to exceed the capabilities of the small island nations and coastal nations of CARICOM. With the implementation of similar coastal defence projects typically requiring 30 years or more,¹⁵¹ the urgency for the international community to negotiate adaptation funding to support the planning and construction of such major projects cannot be understated.

¹⁵¹ Hallegatte, S. 2008. Strategies to adapt to an uncertain climate change. *Global Environmental Change*, 19, 240-247.

This study provides the most comprehensive assessment of the economic impacts of SLR in the Caribbean and overcomes many of the limitations of previous studies that did not utilise a GIS approach, with its detailed geospatial data on land use and physical coastal characteristics that make properties, infrastructure, natural areas and people vulnerable to SLR. The more in-depth and robust approach of this study is also supported by previous studies of the economic implications of climate change for the Caribbean that have also shown damage costs to be dominated by the impacts of SLR.^{152 153}

The countries of CARICOM are at varying levels of socio-economic development. Some are reliant on agriculture, others have an industrial base, while the remainder have moved to a more service oriented economy based on tourism and financial services.¹⁵⁴ Coupled with geophysical differences, this variation in economy focus results in differential vulnerabilities of each country to SLR.

Capital costs were dominated for the most part by dryland losses (US \$9.4 to US \$21.3 billion in 2050, US \$30.1 to US \$60.6 billion in 2080) and rebuild costs of tourist resorts (US \$10 to US \$23.2 billion in 2050 and US \$24.5 to US \$74 billion in 2080). Much of the overall capital costs were concentrated on 5 countries; The Bahamas (airports, tourism and dryland), Jamaica (sea ports, tourism and dryland), Trinidad and Tobago (dryland and tourism), Belize (tourism and dryland) and Haiti (dryland and property). Importantly, while these countries were found to suffer the largest economic losses in absolute terms, in relative terms (losses compared to the size of the national economy), capital losses were greatest in following order both in 2050 and 2080: St. Kitts and Nevis, The Bahamas and Antigua and Barbuda.

Countries with tourism dependent economies, such as St. Kitts and Nevis, Antigua and Barbuda, Barbados, St. Vincent and the Grenadines and Grenada, were particularly affected with high annual costs due to degrading beach assets and inundation. Much of the overall capital costs were concentrated on 3 countries; The Bahamas (airports, tourism

¹⁵² Bueno, R., Herzfeld, C., Stanton, E.A. and Ackerman, F., 2008. The Caribbean and Climate Change: The Costs of Inaction. Stockholm Environment Institute. Accessed from <http://ase.tufts.edu/gdae/CaribbeanClimate.html>.

¹⁵³ Simpson, M.C., Scott, D., New, M., Sim, R., Smith, D., Harrison, M., Eakin, C.M., Warrick, R., Strong, A.E., Kouwenhoven, P., Harrison, S., Wilson, M., Nelson, G.C., Donner, S., Kay, R., Geldhill, D.K., Liu, G., Morgan, J.A., Kleypas, J.A., Mumby, P.J., Palazzo, A., Christensen, T.R.L., Baskett, M.L., Skirving, W.J., Elrick, C., Taylor, M., Magalhaes, M., Bell, J., Burnett, J.B., Rutt, M.K., and Overman, M., Robertson, R. 2009. An Overview of Modeling Climate Change Impacts in the Caribbean Region with contribution from the Pacific Islands, United Nations Development Programme (UNDP), Barbados, West Indies.

¹⁵⁴ Greene, E. 2009. Perspectives on water security in caribbean small island developing states: keynote address. Accessed from http://www.caricom.org/jsp/speeches/water_security_greene.jsp.

and dryland), Jamaica (sea ports, tourism and dryland losses) and Haiti (dryland and property losses). Capital costs were dominated for the most part by dryland losses (US \$9.4 to US \$21.3 billion in 2050, US \$30.1 to US \$60.6 billion in 2080) and rebuild costs of tourist resorts (US \$10 to US \$23.2 billion in 2050 and US \$24.5 to US \$73.9 billion in 2080).

Continued development of vulnerable coastal areas will put additional assets and people at risk and raise both damage estimates as well as protection costs. Protection of cities could offset the substantial damages in urban areas, but as noted, this adaptation strategy comes at substantial cost that is expected to be beyond the financial capacity of CARICOM governments.

Consequently, there can be no other conclusion than projected SLR would be nothing short of transformational to the economies of CARICOM nations. The costs of losses and damages resulting from unprotected coastlines and the costs of protecting high-value urban coastlines and strategic infrastructure will have a major impact on individual communities and national economies. Without significant support from the international community, the resource allocations needed for coastal protection alone represents a significant barrier to achieving the Millennium Development Goals by 2015 and more broadly severely impedes the pursuit of sustainable development.

In light of the work conducted in Phases I and II of this climate change impacts quantification programme; taking account of the severity of the situation, and the recommendations that have been identified, a third phase is proposed as critical to the livelihoods and sustainable economic development of CARICOM Member States. It is anticipated that Phase III will examine and, using an actuarial approach, quantify the magnitude of the climate change impacts, losses and damages in key sectors of the CARICOM Member States. Some of the sectors anticipated to be included in Phase III are biodiversity, (eg coral reef and mangrove), agriculture, fisheries, health, tourism, energy, infrastructure and water.

What follows is a set of recommendations to (1) improve the information base available for SLR related decision-making through additional research and analysis and (2) actions and policies for decision-makers to consider as part of developing a strategic adaptation response to SLR within CARICOM and the broader Caribbean region.

6. Recommendations

The stated objective of the international community is to contain the global temperature rise to only 2.0°C above pre-industrial levels by 2100 through concerted global action. Collaborating with the international community to stabilise the global climate system must be the preeminent recommendation to policy-makers in CARICOM. Nevertheless, even if this important target should be achieved, sea levels will continue to rise. Recognising this, the following recommendations reinforce the need for serious, comprehensive and urgent action to be taken to address the challenges of adapting to SLR in the islands and coastal states of the Caribbean.

6.1 IMPROVING THE INFORMATION BASE FOR INFORMED DECISIONS

Recommendation: Develop an inventory of existing coastal protection defences and their design range and maintenance status. This analysis was hindered by inadequate data on existing coastal structures, their type, design specifications and expected lifetime. Future assessments of the costs and benefits of coastal protection require this information to provide accurate estimates of resources needed for SLR adaptation.

Recommendation: Local level studies should be undertaken to better understand the potential impacts of SLR for communities and facilitate the engagement of local governments and vulnerable stakeholders in the development of adaptation plans. The GIS developed in Phase I and II of this work represents a strategic overview of the vulnerability of coastal communities and infrastructure to future SLR. It enables national governments to begin the process of prioritising what strategic infrastructure and populations are most at risk and in need of protection or planned retreat. More detailed assessments of local impacts, including the impacts on sustainable livelihoods, are needed to inform potential response strategies.

Recommendation: Conduct a thorough cost-benefit analysis of coastal protection at a local level. Cost-benefit analysis of coastal protection will be informed by the estimated value of damage to specific infrastructure and properties. The specific locations of water treatment works, aquifers, oil refineries, power stations and other infrastructure are important

for estimating impacts to a high level of fidelity. Similarly, property values are highly dependent on exact location – for example in some cities the most expensive property values may be on the coast, whereas in others they may be located in a hillside. Therefore a detailed analysis of property prices by location is required as part of local level studies.

Recommendation: Undertake focused analysis of vulnerable sub-populations. A general finding of climate change vulnerability assessments is that low-income households and communities face a disproportionate burden from climate change impacts. Through collaboration of national and local governments to provide geospatial demographic and household income data, the GIS created for this analysis could be used to more accurately assess the potential human costs of SLR. The GIS could also be used to examine the implications of the siting of coastal protection measures for vulnerable sub-populations.

Recommendation: Undertake detailed sector analysis and sectoral case studies of SLR vulnerability and temperature increases, for scale-up to national and regional economic assessments. Undertake a sectoral approach and case study risk assessments for strategically important infrastructure and industries. Obtaining highly accurate costing of sectoral case studies would facilitate informed scale-up across CARICOM nations and through the economy. Such detailed costing work would be valuable for the water, power, transport, agriculture, tourism, ecosystem (e.g. coral reef and fisheries) sectors.

For example: tourism represents a sectoral priority given its considerably larger economic losses as a result of SLR compared to other sectors. In addition to refining estimates of rebuild costs (particularly in areas with high-density coastal development), there is an important need to investigate the response of international tourists and the private sector to the impacts of coastal erosion, coral degradation and market test adaptation strategies with this key stakeholder group.

Recommendation: Complete a focused analysis of the vulnerability of tourism dependent small island economies and develop adaptation strategies. A critical finding of this analysis was that while the absolute size of economic losses is generally much greater in the larger CARICOM economies, the proportional impacts (losses compared to the size of the

national economy) are generally higher in the smaller economies of St. Kitts and Nevis, Antigua and Barbuda, Barbados, St. Vincent and the Grenadines and Grenada. Tourism infrastructure is particularly vulnerable in these nations and with tourism contributing a greater proportion to the national economies of these nations, the capacity of the economies in these countries to absorb and recover from proportionately higher economic losses is expected to be lower. Determining the secondary and tertiary economic impacts of damages to the tourism sector and possible adaptation strategies for the tourism sector should be a priority for future research within CARICOM.

Recommendation: Adopt a risk management approach consistent with actuarial science best practice. The framework proposed by ECA should be further developed, by taking into account best practice and research in risk management and actuarial science. This would give a full risk mapping of climate change impacts, which would be a powerful tool for policy makers.

Recommendation: Develop more realistic socio-economic scenarios to inform future cost-benefit analyses. More refined economic analysis requires more realistic projections of GDP, population and sectoral disaggregation for CARICOM nations. Although downscaled estimates of GDP and population projections were adopted from the IPCC, these were considered highly optimistic in some cases and required manual adjustment. The current economic projections currently do not take into account the impact of climate change on the region's socio-economic sectors, which is clearly unrealistic for small island states that are currently not employing adaptation measures on a large scale.

Recommendation: Improve the spatial detail and reduce uncertainties in climate change scenarios for the Caribbean Basin. Further examination of both GCM and Regional Climate Model (RCM) projections for the Caribbean is recommended to advance understanding of the regional manifestations of global climate change, particularly with respect to changes in precipitation and extreme climate events (e.g., heavy rainfall, tropical storms). Downscaling of the various projections to higher resolutions should be a key focus of climate scenario work in the region. New, higher resolution model outputs are expected to become available from leading international climate modelling centres within the next two years. These outputs will be derived from higher resolution versions of GCMs and from RCMs inter-comparison projects for example the CORDEX project through the World Climate Research Programme. Modelling centres in the Caribbean

already conducting climate modelling work, such as: Climate Studies at the University of the West Indies; the Caribbean Community Climate Change Centre; and INSMET (the Cuban Meteorological Service) along with CARICOM Members States should seek to further collaboration with international modelling centres to develop the capacity to undertake additional downscaling work as the new data sets become available. **An important part of this Recommendation is also to build and strengthen the technical and human capacity of the regional climate modelling centres to conduct the identified tasks.** Any such work would be consistent with the UNFCCC Nairobi Work Programme and would provide prospects for advancing information on the impacts of climate change on agriculture and food security, health and water security, not only in terms of single realisations of future scenarios, but in terms of building ranges of possible outcomes consistent with risk analysis approach for planning of adaptation options.

Recommendation: Invest in development of high-resolution topographical data sets. This study utilised the highest resolution DEM dataset publically available from satellites (30m²). The United Nations Environment Programme has begun to invest in the development of a comprehensive LiDAR¹⁵⁵ data set for areas of the Caribbean. Securing these data should be a priority for CARICOM nations, as it is essential for high-resolution SLR risk mapping, determining bathymetry for improved assessments of erosion processes, and engineering studies of coastal protection structures. Regional collaboration to secure additional funds that would accelerate the process of flying and processing LiDAR data should be considered. Because the timing of the availability of a comprehensive LiDAR data set for CARICOM nations remains uncertain, countries and communities that would like to begin the process of adapting to SLR immediately could consider the purchase of improved DEM data (i.e., TamDEM) from TerraSAR-X, which should become publicly available in 2011 or 2012.

Recommendation: Assess the adaptive capacity of wetlands and mangroves to SLR. Wetlands and mangroves provide highly valued ecosystem service to the islands and coastal regions of the Caribbean and have been shown to be vulnerable to SLR. More detailed analysis of the impacts of SLR for the size, integrity and function of wetlands and mangrove is needed to accurately assess the implications for flood and erosion protection, water purification, and habitat. A necessary part of this evaluation is to determine where wetlands and mangroves have access to adjacent lands suitable for natural retreat in response to SLR. Identification and protection of these 'buffer' lands for adaptation is a key long-term conservation strategy for the region.

¹⁵⁵ LiDAR (Light Detection and Ranging) is an optical remote sensing technology that measures properties of scattered light to find range and/or other information of a distant target.

Recommendation: Better incorporate non-market values in future economic assessments of SLR and climate change impacts. An additional focus of future economic assessments of the costs of SLR must be to improve methods for incorporating ecosystem services, which are often ignored or undervalued in conventional economic analyses.

Recommendation: Utilise a multi-temporal systems approach in future economic analysis of climate change. Consistent with ECA recommendations, future assessments of the economic implications of SLR and related adaptation need to be integrated in holistic modelling that has the scope to account for other metrics of climate change. Climate change will cause a number of feedbacks in the economy. The secondary and tertiary impacts could cause larger and more lasting economic damage than the primary impacts. Attempting to value only SLR damages and adaptation vastly underestimates full impacts of climate change and omits the important interactions with other impacts (e.g., SST or ocean acidification related damage to corals that degrade their function as a natural barrier against storm surges) occurring throughout the economies of the CARICOM countries. As part of a systems analysis, it is necessary to complete a more detailed meso analysis at sectoral/city level to create inputs and outputs for the determination of cascading impacts.

Furthermore, this analysis has determined that analysis of economic impacts needs to be completed at a number of temporal scales. The report focused on a gradual shift hazard - SLR, in contrast, event hazards, such as hurricanes, act on a different temporal scale. Although these act over different scales, short run events can reduce resilience to a long-term change. The combinations of these impacts must be considered in any further analysis. Multiple time-scales are also important to enable consideration of refurbishment and even rebuilding cycles for economic efficiencies in adaptation. A pro-active economy could build in risk prevention and climate change adaptation measures within this cycle, whereas a reactive economy would suffer significantly more damage.

Recommendation: Transparency and Peer-Review. Transparency of methodologies must be a guiding principal for economic studies of climate change in CARICOM to allow for peer review and comparisons between estimates. The IPCC has reinforced the message that peer review will be the standard for consideration in the Fifth Assessment Report and the administering agencies of the UN Adaptation Fund will demand no less.

6.2 ADAPTATION ACTIONS AND POLICIES

Recommendation: Commence coastal projection adaptation planning early. The development of coastal project systems has been shown to take 30 years or more. The detailed local level planning for coastal protection needs to begin within the next 15 years if the environmental assessments, financing, land acquisition, and construction is to be completed by mid-century, so that the economic benefits of damage prevention are optimized.

Recommendation: Integrate SLR into the design of all coastal structures. Environmental Assessments and construction permits for coastal structures should be required to take into account the most estimates of SLR from the scientific community.

Recommendation: Integrate SLR into government insurance policies. Insurance policies that account for the long-term risks of SLR will enable landowners to properly assess coastal protection and retreat options. Government subsidies to insure coastal properties that suffer repeated losses or are at high risk of SLR inundation and erosion will encourage maladaptive decisions by property owners and a continued expense to national economies.

Recommendation: Review and develop policies and legal framework to support coordinated retreat from high-risk coastal areas. Existing policy and legal frameworks should be reviewed to assess the responsibilities of the state and landowners for the decommissioning of coastal properties damaged by the impacts of SLR. Examine the utilisation of adaptive development permits that allow development based on current understanding of SLR, but stipulate the conditions for longer-term coastal retreat if sea level increases to a specified level. Re-assess current coastal set-back regulations in light of the SLR projections.

Recommendation: Incorporate SLR into local and regional land use development plans as well as tourism master plans. Undertake national-level consultation with government ministries responsible for land use planning and tourism planning to utilise the broad scale results of this study and higher-resolution local scale studies to guide reviews and updates of official land use plans. Consider the development of official SLR risk maps to further guide future coastal development.

Recommendation: Communication, awareness and education activities for key target groups. Embark on a communication campaign to inform and raise awareness of SLR impacts and costs for policy makers, media, developers, architects, planners, private sector and communities.

Recommendation: Assess adaptation strategies to address the multitude of cross-sectoral impacts. An in-depth examination and costing of practical adaptation strategies is required to meet the challenges of SLR and erosion on the economies and livelihoods of CARICOM member states and their communities. A sectoral approach is recommended to take account of the integral and interrelated nature of the wide-ranging impacts.

7. Key Points for Policy Makers

7.1 CLIMATE CHANGE – OBSERVED TRENDS AND PROJECTIONS FOR THE 21ST CENTURY

- Temperature trends in the Caribbean have roughly paralleled observed global warming over the past 50 years.¹⁵⁶
- Sea surface temperature (SST) trends over the Caribbean generally exceed those being observed over the global tropical oceans over the past 20 years.¹⁵⁷
 - SST trends across the Caribbean basin over the past 22 years indicate current warming is occurring at 0.2°C to 0.5°C per decade.¹⁵⁸
 - Recent SST increases are greatest throughout the Windward Islands of the Lesser Antilles such as Grenada, Dominica, St. Vincent and the Grenadines and St Lucia.¹⁵⁹
- According to the ensemble mean of Global Climate Models, temperature increases in CARICOM countries will be similar to, but slightly less than, increases in average global temperatures over the 21st Century.
- The range of dates over which the global projections reach the 2.0°C and 2.5°C (shown in italics) above pre-industrial thresholds are:
 - under scenario A1B: 2038 to 2070 and 2053 to later than 2100 (model simulations end in 2100)
 - under scenario A2: 2043 to 2060 and 2056 to 2077
 - under scenario B: 2049 to later than 2100 and 2050 to later than 2100
- Temperature will continue to rise for all CARICOM countries throughout the year; coastal regions and islands will experience the smallest rises, inland continental regions the largest.
- Average temperatures throughout the year in CARICOM countries would thus be in the order of 0.4°C to 0.5°C warmer at the 2.5°C threshold as compared to that at 2.0°C and perhaps a little more so at locations remote from the sea.
- Analysis of daily maximum and minimum temperature distributions suggests that these will warm steadily through the

¹⁵⁶ Solomon, S., and D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M.Tignor, H.L. Miller (Eds.). 2007. *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change.* Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press.

¹⁵⁷ Solomon, S., and D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M.Tignor, H.L. Miller (Eds.). 2007. *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change.* Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press.

¹⁵⁸ Solomon, S., and D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M.Tignor, H.L. Miller (Eds.). 2007. *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change.* Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press.

¹⁵⁹ Solomon, S., and D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M.Tignor, H.L. Miller (Eds.). 2007. *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change.* Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press.

21st Century, and will result in a significant increase in the number of hot days and of warm to hot nights, with some days/nights warmer than most experienced at the present.

- SST increases are similar to those for air temperatures over coastal areas and islands. Thus, as with air temperatures, average SSTs would be roughly 0.4°C to 0.5°C warmer at the 2.5°C threshold.
- The more detailed analysis in this Report has revealed greater uncertainties in the rainfall projections than was the case in the Phase I Report in 2009.
- In most CARICOM countries total annual rainfall is expected to decrease at the 2.0°C threshold by perhaps 10% to 15%, 20% at the most, as compared to at present, according to the ensemble mean. This result is reasonably consistent across all three emission scenarios.
- From the 2.0°C threshold to that at 2.5°C the picture is more complex; under Scenario A1B rainfall increases again according to the ensemble mean over much of the CARICOM area, although it does not return to current levels over most areas that would have experienced drying; however under Scenario A2 drying continues; lack of data prevented an equivalent analysis for the B1 Scenario.
- However, maximum and minimum rainfall values indicate that the spread of possibilities is substantial across the ensembles, and while drying trends are projected by the majority of models, there can be no absolute certainty that the trend will definitively be towards drying.
- Thus the direction of rainfall changes is somewhat uncertain, but with higher probabilities of a drying than an increasing trend over most CARICOM states, at least until the 2.0°C threshold is reached, but with uncertainty over the direction of the trend subsequently.
- There is little agreement amongst the models over whether the frequencies and intensities of rainfall on the heaviest rainfall days will increase or decrease in the region.
- Similarly, no clear trends in wind speeds have been identified in the GCM outputs for the region.
- Similar uncertainty remains with respect to the implications of climate change for hurricane frequencies and intensities.

7.2 SEA LEVEL RISE – OBSERVED TRENDS AND PROJECTIONS FOR 21ST CENTURY

- Studies of previous sea level responses to climate change reveal that SLR of 1m per century has not been unusual and that rates up to 2m per century have been observed. Although present rates of global SLR are not yet approaching 1m per century, they are observed to be accelerating in response to increased global warming.
- Recent studies accounting for observations of rapid ice sheet melt (Greenland and Antarctic) have led to greater and more accurate estimates of SLR than in the IPCC AR4 projections. There is an approaching consensus that SLR by the end of the 21st Century will be between 1-2m above present levels.
- Moderate to high GHG emission scenarios pose a major threat to the stability of the world's ice sheets and introduce the possibility of rapid SLR on a decadal timescale up to ten times the rate observed a century ago.
- Global temperature and the magnitude of SLR are strongly linked. With a 2°C or 2.5°C global temperature rise, the current rate of SLR will continue even or accelerate.
- The Caribbean is projected to experience greater SLR than most areas of the world due to its location closer to the equator and related gravitational and geophysical factors.
- Even in the absence of increased intensity or frequency of tropical storms and hurricanes, SLR will intensify their impact on coastlines in the Caribbean.
- SLR will continue for centuries after 2100, even if global temperatures are stabilised at 2°C or 2.5°C and therefore represents a chronic and unidirectional, negative threat to coastal areas in the Caribbean and globally.

7.3 IMPACTS OF SEA LEVEL RISE AND STORM SURGE IN CARICOM MEMBER STATES

- The impacts of SLR will not be uniform among the CARICOM nations, with some projected to experience severe impacts from even a 1m SLR. Based on available information, The Bahamas, Suriname, Guyana, Trinidad and Tobago and Belize are anticipated to suffer the greatest economic losses and damages in absolute economic terms. A second critical observation is that while the absolute size of economic losses is generally much greater in larger CARICOM economies, the proportional impacts (losses compared to the size of the national economy) are generally higher in the smaller economies of St. Kitts and Nevis, Antigua and Barbuda, Barbados, St. Vincent and the Grenadines and Grenada. The capacity of the economies in these countries to absorb and recover from proportionately higher economic losses is expected to be lower.

Impacts from a 1m SLR in the CARICOM nations include:

- Land surrounding 35 ports inundated out of 44.
- Nearly 1,300 km² land area lost (e.g., 5% of The Bahamas, 2% Antigua and Barbuda).
- Over 100,000 people displaced (e.g., 5% of population in The Bahamas, 3% Antigua and Barbuda).
- At least 149 multi-million dollar tourism resorts damaged or lost, with beach assets lost or greatly degraded at many more tourism resorts.
- Damage or loss of 5 power plants.
- Over 1% agricultural land lost, with implications for food supply and rural livelihoods (e.g., 5% in Dominica, 6% in The Bahamas, 5% in St. Kitts and Nevis).
- Inundation of known sea turtle nesting beaches (e.g., 35% in The Bahamas and St. Kitts and Nevis, 44% in Belize and Haiti, 50% in Guyana).
- Transportation networks severely disrupted.
 - Loss or damage of 21 (28%) CARICOM airports.
 - Lands surrounding 35 ports inundated (out of 44).
 - Loss of 567 km of roads (e.g., 14% of road network in The Bahamas, 12% Guyana, 14% in Dominica).

Impacts from a 2m SLR in the CARICOM nations include:

- Over 3,000 km² of land area lost (e.g., 10% of The Bahamas, 5% in Antigua and Barbuda).
- Over 260,000 people displaced (e.g., 10% of population of The Bahamas, 6% Antigua and Barbuda).
- At least 233 multi-million dollar tourism resorts lost, with beach assets lost or greatly degraded at the majority of tourism resorts.
- Damage or loss of 9 power plants.
- Over 3% of agricultural land lost, with implications for food supply, security and rural livelihoods (12% in The Bahamas, 8% in St. Kitts and Nevis, 5% in Haiti).
- Inundation of over 40% of known sea turtle nesting beaches in The Bahamas, St. Kitts and Nevis, Belize, Haiti, and Guyana.

- Transportation networks severely disrupted.
 - Loss of 31 (42%) of CARICOM airports.
 - Land surrounding 35 ports inundated (out of 44).
 - Loss of 710 km of roads (e.g., 19% of road network in The Bahamas).

Impacts from a combination of SLR and 1 in 100 year Storm Surge in the CARICOM nations include:

- Over 1 million people at risk to flooding (e.g., 22% of population of The Bahamas, 13% of Belize, and 12% of Antigua and Barbuda).
 - Over 50% of major tourism resorts at risk to damage in Antigua and Barbuda, Belize, Haiti, St. Kitts and Nevis, St. Vincent and Grenadines, and The Bahamas.
 - Flooding risk at all of the airports in Antigua and Barbuda, Belize, Dominica, Grenada, Haiti, St. Lucia, and St. Vincent and Grenadines, and the majority of airports in all other countries with the exception of Barbados.
 - Flooding damage to road networks (e.g., 27% in The Bahamas, 16% in Belize, and Dominica).

Impacts from erosion (to coastal beach areas only) associated with 1m SLR in the CARICOM nations include:

- At least 307 multi-million dollar tourism resorts damaged or lost, with beach assets lost or greatly degraded at the majority of tourism resorts in the region.
- Degradation or loss of 146 known sea turtle nesting beaches.
 - Adaptation to future SLR will require revisions to development plans and major investment decisions regarding which strategic assets and most vulnerable populations to protect.
 - Coastal protection of 19 major cities in CARICOM would require the construction of 300 km of new levees or sea walls, at an estimated construction cost of US \$1.2 to US \$4.4 billion respectively, and require annual maintenance costs of US \$111 to US \$128 million.
 - With the implementation of coastal defence projects typically requiring 30 years or more, the planning of such large public works should begin within the next 10-15 years. This emphasises the urgency for the CARICOM nations to negotiate adaptation funding to support the planning and construction of such major projects.

7.4 ACTUARIAL ANALYSIS: COSTS OF LOSSES AND DAMAGES

- The study finds that the costs of both a mid-range (1m) and high (2m) SLR escalated significantly towards the end of the century, as greater SLR combines with increasing populations and GDP.
- Levels of vulnerability differ between islands because of varying levels of socio-economic development, and different constituents of the economy. Annual losses are dominated by losses to the tourism sector for most countries, except for Haiti where agricultural losses are projected to be significant. Antigua and Barbuda, Barbados, Belize, St. Kitts and Nevis and The Bahamas are expected to be impacted annually with losses of up to 5% of GDP.

Tourism

- Tourism will be impacted both through rebuild costs of tourist resorts as well as an annual reduction in contribution to national GDP from beach loss. Rebuild costs are found to dominate capital costs in most cases, particularly for Antigua and Barbuda, the Bahamas, Barbados, Belize, Grenada, St. Kitts and Nevis and St. Vincent and the Grenadines.
- The total rebuild costs of tourist resorts are projected to be between US \$10 and US \$23.3 billion in 2050 and US \$23.5 and US \$74 billion in 2080. Annual costs to tourism due to reduced amenity value from beach loss are projected to be between US \$12.4 and US \$17.1 billion in 2080.
- The Bahamas is particularly impacted by SLR, with damages contributing a significant part of total CARICOM losses. Annual costs to GDP were predominately tourism losses between US \$869 and US \$946 million in 2050 and US \$2.2 and US \$2.6 billion in 2080.
- Annual costs of SLR to Trinidad and Tobago are estimated to be between 1.3% and 1.4% of GDP in 2080 for the mid range SLR and high SLR scenarios respectively, dominated by costs to the tourist industry. Rebuild costs for tourist resorts in Trinidad and Tobago are between US \$1.3 and US \$4.8 billion for the mid range SLR and high SLR scenarios respectively.
- Impacts on Barbados are dominated by losses to tourism both through rebuild costs and annual losses through loss of amenities. Losses are projected to amount to between US \$283 and US \$368 million in 2050 and by 2080 losses would increase to between US \$850 and US \$860 million annually (cumulative rebuild costs of US \$1.1 to US \$8 billion). Total capital GDP loss is projected to be between 4.8% and 18.7% of GDP in 2050 and 7.3% and 42.8% in 2080 for the mid range SLR and high SLR scenarios respectively.

- Similar to Barbados, the tourism economy of Antigua and Barbuda will be severely impacted by SLR. This results in projected rebuild costs of resorts of up to 36% of GDP in 2050 and up to 85% of GDP in 2080.
- Suriname, Belize and Guyana are not as land constrained as the island states, resulting in lower annual losses. However, due to beach loss, the Belize tourism sector is projected to have annual costs of over 2.5% of GDP from 2050.
- Grenada will suffer large rebuild costs for tourist resorts of between 3.5% and 21% of GDP in 2050 and 14% and 33% of GDP in 2080. Total capital costs are between US \$333 and US \$801 million in 2050 and increase to between US \$1.3 and US \$3.7 billion in 2080.
- St. Kitts and Nevis has a similar capital cost profile to Grenada, but has tourist resort rebuild costs of between 60% and 89% of GDP in 2050, increasing to between 73% and 150% of GDP in 2080 for the mid range SLR and high SLR scenarios respectively.

Population Displacement and Infrastructure Impacts

- All countries would be impacted by road loss with a large proportion also impacted by airport, seaport and power plant inundation. Due to the high capital cost of rebuilding, smaller island states are disproportionately affected as rebuild cost constituted a greater proportion of GDP.
- Population displacement and relocation costs particularly affected the Bahamas, Guyana, Haiti, Jamaica and Trinidad and Tobago. However, proportionate to population size, the greatest relocation costs occurred in the following order: The Bahamas, Antigua and Barbuda, St. Kitts and Nevis, Trinidad and Tobago and St. Vincent and the Grenadines. Cumulative rebuild costs for seaports, airports, power plants, infrastructure, tourist resorts and property relocation in the Bahamas amounted to between US \$5.6 and US \$11 billion in 2050 and US \$11.7 and US \$32 billion in 2080.
- Haiti is impacted heavily by land loss, tourist resort rebuild costs and population displacement. This results in projected capital costs of US \$1.8 and US \$4.3 billion in 2050; US \$4.6 to US \$17.2 billion in 2080.
- Smaller islands are vulnerable to the capital cost of rebuild, as their economies do not have the capacity to withstand these relatively high costs. For example, due to their relatively small GDP, the volcanic islands of St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Grenada and Dominica will be particularly impacted by inundation of seaports and airports resulting in rebuild/relocation costs of between 1% and 6% of GDP in 2050 and 2% and 11% of GDP in 2080.

Asset Value of Land Loss

- Due to the low lying nature of Suriname, Belize and Guyana, they each suffer significant land loss. Combined wetland loss is valued between US \$43 and US \$161 million in 2050 and US \$123 and US \$648 million in 2080 and dryland loss valued between US \$0.54 and US \$1.9 billion in 250 US \$1.8 and US \$6.2 billion in 2080.
- In the Bahamas, loss of land value ranged between US \$14.6 and US \$23.4 billion in 2080. Proportionate to land area or population, loss of land was then greatest in Antigua and Barbuda, Belize, St. Vincent and the Grenadines and Barbados.

Agricultural Impacts

- Loss of agricultural land and land restrictions from population density increases resulted in a projected loss in 2050 of US \$370 million and in 2080 a loss of approximately US \$2 billion is projected.
- The agricultural sector of Haiti is projected to suffer greater than any other country in the region with annual costs of US \$700 million to US \$1.8 billion in 2080 for the mid range SLR and high SLR scenarios respectively.

Impacts of Erosion

- Further research was undertaken on the impacts of erosion on tourist resorts due to the projected SLR. If erosion is taken into account, rebuild costs for the mid range SLR scenario will increase from US \$23.5 to US \$48.4 billion and in the high SLR scenario from US \$74 to US \$122.5 billion in 2080. Erosion has a significant amplifying effect on the mid range scenario, where rebuild costs were projected to increase by several hundred percent in some cases. Most notable in this is Barbados where costs will increase from US \$945 million to US \$6.6 billion in the mid range SLR scenario in 2080.

Total Costs of Losses and Damages

- In 2050 capital costs were estimated to be between US \$26 to US \$60.7 billion (equivalent to between 6.2% and 12% of projected GDP in 2050 respectively – all figures are in 2010 US \$ prices), while annual costs ranged from US \$3.9 to US \$6.1 billion (0.9% to 1.2% of projected GDP) – see Summary Table below.
- Estimates for capital GDP loss to CARICOM states in 2080 were projected to be between US \$68.2 and US \$187 billion (8.3% and 19.2% of projected GDP in 2080) – see Table 18 below.
- Annual costs for 2080 were projected to be between US \$13.5 and US \$19.4 billion (1.6% to 2% of GDP in 2080). Antigua and Barbuda, Barbados, Belize, St. Kitts and Nevis and The Bahamas are expected to experience annual losses of up to 5% of GDP.
- It is important to reemphasise that these estimates of economic costs are in the absence of adaptation, either through structural protection or planned retreat and replacement of vulnerable infrastructure assets at the end of normal lifespan.

Table 18: Total Annual and Capital Costs of SLR in CARICOM Countries (in 2010 US \$)

	2050		2080	
	Annual Costs (US \$billion)	Capital Costs (US \$billion)	Annual Costs (US \$billion)	Capital Costs (US \$billion)
Mid-Range SLR Scenario	3.9	26	13.5	68.2
High SLR Scenario	6.1	60.7	19.4	187

SUMMARY DOCUMENT

Please Note: A DVD was distributed at the Cancun COP16 November/December 2010 with the 'Key Points and Summary for Policy Makers' document of this report. The DVD contains copies of the following:

1. Quantification and Magnitude of Losses and Damages Resulting from the Impacts of Climate Change: Modelling the Transformational Impacts and Costs of Sea Level Rise in the Caribbean - KEY POINTS AND SUMMARY FOR POLICY MAKERS
2. Quantification and Magnitude of Losses and Damages Resulting from the Impacts of Climate Change: Modelling the Transformational Impacts and Costs of Sea Level Rise in the Caribbean - SUMMARY DOCUMENT
3. 'Partnerships for Resilience: Climate Change and Caribbean Tourism' A short film (18 minutes) commissioned by the British Foreign and Commonwealth Office and the UK Department for International Development; Highlights adaptation measures being taken by governments, private sector and communities across the Caribbean.

Copies of these documents, the Full Document and the short film can be obtained via free download at www.caribsave.org

Quantification and Magnitude of Losses and Damages Resulting from the Impacts of Climate Change: Modelling the Transformational Impacts and Costs of Sea Level Rise in the Caribbean

SUMMARY DOCUMENT

This report was commissioned by the United Nations Development Programme (UNDP) Sub-Regional Office for Barbados and the OECS, for CARICOM Member States. The report was produced by The CARIBSAVE Partnership and authored by members of key institutions and organisations around the world dealing with climate change, development and economic impacts.

This 'Summary Document' is drawn from the 'Full Report' and provides an overview for all CARICOM Member States of the risks from climate change and sea level rise (SLR). The report focuses on: climate change projections for the Caribbean region under +2.0°C and +2.5°C global warming scenarios; the implications of ice sheet melt for global sea level rise (SLR); the projections and implications of SLR for the Caribbean region; and, using an actuarial approach, the quantification and magnitude of the losses and damages resulting from sea level rise and related coastal erosion.



Prepared by The CARIBSAVE Partnership for UNDP Barbados and the OECS for CARICOM Member States

United Nations Development Programme

December 2010

UNDP Barbados and the OECS
Energy and Environment Programme
UN House
Marine Gardens, Hastings
Christ Church, Barbados

+ 1 246 467 6000
reynold.murray@undp.org
www.bb.undp.org

