

Oceanic whitetip 90-day Finding References

- Abercrombie, D.L., Clarke, S.C., Shivji, M.S. (2005) Global-scale genetic identification of hammerhead sharks: Application to assessment of the international fin trade and law enforcement, *Conservation Genetics*, **6**, 775-88.
- Austin, B. & Zhang, X-H. (2006) *Vibrio harveyi*: a significant pathogen of marine vertebrates and invertebrates. *Letters in Applied Microbiology*, **43**, 119-24.
- Baum, J.K., Myers, R.A., Kehler, D.G., Worm, B., Harley, S.J. and Doherty, P.A. (2003) Collapse and conservation of shark populations in the Northwest Atlantic. *Science*, **299**.
- Baum, J.K. and Blanchard, W. (2010) Inferring shark population trends from generalized linear mixed models of pelagic longline catch and effort data. *Fisheries Research*, **102**, 229-239.
- Baum, J.K. and Myers, R.A. (2004) Shifting baselines and the decline of pelagic sharks in the Gulf of Mexico. *Ecol. Lett.*, **7**, 135-145.
- Beerkircher, L.R., Cortés, E. and Shivji, M. (2002) Characteristics of shark bycatch observed on pelagic longlines off the Southeastern United States, 1992–2000. *Marine Fisheries Review*, **64**, 40-49.
- Bonfil, R., Clarke, S., Nakano, H. (2008). The biology and ecology of the oceanic whitetip shark, *Carcharhinus longimanus*. In: M.D. Camhi, E.K. Pikitch, E.A. Babcock, Sharks of the Open Ocean: Biology, Fisheries and Conservation. (2008) Blackwell Science Publishing.
- Brodziak, J., Walsh, W.A. and Hilborn, R. (2013) Model selection and multimodel inference for standardizing catch rates of bycatch species: a case study of oceanic whitetip shark in the Hawaii-based longline fishery. *Canadian Journal of Fisheries and Aquatic Sciences*, **70**, 1723-1740.
- Burgess, G.H., Beerkircher, L.R., Cailliet, G.M., Carlson, J.K., Cortés, E., Goldman, K.J., Grubbs, R.D., Musick, J.A., Musyl, M.K. and Simpfendorfer, C.A. (2005) Is the collapse of shark populations in the Northwest Atlantic Ocean and Gulf of Mexico real? In: *Fisheries*: American Society of Fisheries. 19-26 pp.
- CITES. 2013. Convention on the International Trade in Endangered Species of Wild Fauna and Flora, CITES conference takes decisive action to halt decline of tropical timber, sharks, manta rays and a wide range of other plants and animals, CONVENTION ON THE INTERNATIONAL TRADE IN ENDANGERED SPECIES OF WILD FAUNA AND FLORA (March 14, 2013) (“CITES, 2013”).
- Clarke, S.C., Harley, S.J., Hoyle, S.D. and Rice, J.S. (2013) Population trends in Pacific Oceanic sharks and the utility of regulations on shark finning. *Conservation Biology: the journal of the Society for Conservation Biology*, **27**, 197-209.

- Clarke, S.C., McAllister, M.K., Milner-Gulland, E.J., Kirkwood, G.P., Michielsens, C.G., Agnew, D.J., Pikitch, E.K., Nakano, H. and Shivji, M.S. (2006) Global estimates of shark catches using trade records from commercial markets. *Ecology letters*, **9**, 1115-1126.
- Coelho, R., Fernandez-Carvalho, J., Lino, P.G. and Santos, M.N. (2012) An overview of the hooking mortality of elasmobranchs caught in a swordfish pelagic longline fishery in the Atlantic Ocean. *Aquatic Living Resources*, **25**, 311-319.
- Compagno, L.J.V. (1984) FAO Species Catalogue. Vol 4: In: *Sharks of the World, Part 1 - Hexanchiformes to Lamniformes*. FAO Fisheries Synopsis No. 125. pp. 1-250.
- Cortés, E. (1999) Standardized diet compositions and trophic levels of sharks. *ICES Journal of Marine Science*, **56**, 707-717.
- Cortés, E., Brown, C.A. and Beerkircher, L.R. (2007) Relative abundance of pelagic sharks in the western and north Atlantic ocean, including the Gulf of Mexico and Caribbean Sea. *Gulf and Caribbean Research*, **19**, 37-52.
- Cortés, E., Arocha, F., Beerkircher, L., Carvalho, F., Domingo, A., Heupel, M., Holtzhausen, H., Santos, M.N., Ribera, M. and Simpfendorfer, C. (2010) Ecological risk assessment of pelagic sharks caught in Atlantic pelagic longline fisheries. *Aquatic Living Resources*, **23**, 25-34.
- Cortés, E., Domingo, A., Miller, P., Forselledo, R., Mas, F., Arocha, F., Campana, S., Coelho, R., DaSilva, C., Hazin, F.H.V., Holtzhausen, H., Keene, K., Lucena, F., Ramirez, K., Santos, M.N., Semba-Murakami, Y. and Yokawa, K. (2012) Expanded ecological risk assessment of pelagic sharks caught in Atlantic pelagic longline fisheries. *SCRS/2012/167*, 1-56.
- Cruz-Nuñez, G., Palmadóttir, H., Jónsdóttir, R., García-Rodríguez, E. (2009). Quality of Cuban shark liver oil. Comparison with Icelandic cod liver oil. REDVET. Revista Electrónica de Veterinaria, **10**, 2, 1-10. Available at: <http://www.redalyc.org/articulo.oa?id=63617114006>.
- De Young, C. (2006) Review of the state of world marine capture fisheries management: Indian Ocean. Rome, FAO. 458pp.
- Domingo, A., Miller, P., Forselledo, R., Pons, M. and Berrondo, L. (2007) Abundancia del tiburón loco (*Carcharhinus longimanus*) en el Atlántico Sur. Col. Vol. Sci. Pap. ICCAT, **60**, 561-565.
- Driggers, W.B., Carlson, J.K., Cortés, E. & Ingram Jr, G.W. 2011. Effects of wire leader use and species specific distributions on shark catch rates off the southeastern United States [online]. IOTC-2011-SC14 –INF08. [www.iotc.org/files/proceedings/2011/sc/IOTC-2011-SC14-INF08\[E\].pdf](http://www.iotc.org/files/proceedings/2011/sc/IOTC-2011-SC14-INF08[E].pdf)
- Dulvy, N.K., Baum, J.K., Clarke, S., Compagno, L.J.V., Cortés, E., Domingo, A., Fordham, S., Fowler, S., Francis, M.P., Gibson, C., Martínez, J., Musick, J.A., Soldo, A., Stevens, J.D. and

Valenti, S. (2008) You can swim but you can't hide: the global status and conservation of oceanic pelagic sharks and rays. *Aquatic Conservation: Marine and Freshwater Ecosystems*, **18**, 459-482.

FAO (2012) Report of the fourth FAO expert advisory panel for the assessment of proposals to amend Appendices I and II of CITES concerning commercially-exploited aquatic species. In: FAO Fisheries and Aquaculture Report No. 1032 Rome. 169 pp.

Gilman, E., Clarke, S., Brothers, N., Alfaro-Shigueto-J., Mandelman, J., Mangel, J., Petersen, S., Piovano, S., Thomson, N., Dalzell, P., Donoso, M., Goren, M., Werner, T. (2007) Shark depredation and unwanted bycatch in pelagic longline fisheries: industry practices and attitudes, and shark avoidance strategies. Western Pacific Regional Fishery Management Council, Honolulu, USA. 164 pp.

Gelsleichter, J. & Walker, C.J. (2010) *Pollutant Exposure and Effects in Sharks and Their Relatives*. In: J.C. Carrier, J.A. Musick, M.R. Heithaus, *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press available at <https://books.google.com/books?id=VioW40mAljUC&pg=PA527&lpg=PA527&dq=Pollutant+Exposure+and+Effects+in+Sharks+and+Their+Relatives&source=bl&ots=WHgyEoM-mP&sig=gsyU6nurr5ILjq-ahrTpJBKtiBk&hl=en&sa=X&ved=0CCoQ6AEwAmoVChMInpD0sILZxwIVyFg-Ch0QcAsc#v=onepage&q=Pollutant%20Exposure%20and%20Effects%20in%20Sharks%20and%20Their%20Relatives&f=false>

Hazin, F.H.V., Hazin, H.G. and Travassos, P. (2007) CPUE and catch trends of shark species caught by Brazilian longliners in the Southwestern Atlantic Ocean. Col. Vol. Sci. Pap. ICCAT, **60**, 636-647.

Inter-American Tropical Tuna Commission (IATTC). 2007. Working group to review stock assessments. Document SAR-8-15. Proposal for a comprehensive assessment of key shark species caught in association with fisheries in the Eastern Pacific Ocean. 4 pp.

Inter-American Tropical Tuna Commission (IATTC). 2014. Fishery Status Report No. 12: Tunas and billfishes in the eastern Pacific Ocean in 2013. La Jolla, California. 180 pp.

IOTC (2014) Report of the Seventeenth Session of the IOTC Scientific Committee. IOTC–2014–SC17–R[E]. 357.

Jabado, R.W., Al Ghais, S.M., Hamza, W., Henderson, A.C., Spaet, J.L.Y., Shivji, M.S. and Hanner, R.H. (2015) The trade in sharks and their products in the United Arab Emirates. *Biological Conservation*, **181**, 190-198.

Lessa, R., Santana, F.M. and Paglerani, R. (1999) Age, growth and stock structure of the oceanic whitetip shark, *Carcharhinus longimanus*, from the southwestern equatorial Atlantic. Fisheries Research, 42, 21-30.

Miller, M.H., Carlson, J., Hogan, L. and Kobayashi, D. (2014) Final Report to National Marine Fisheries Service, Office of Protected Resources. June 2014. 116.

Molony, Brett (2007) Commonly captured sharks and rays for consideration of the ecosystem and bycatch SWG at SC3. Western and Central Pacific Fisheries Commission Scientific Committee Third Regular Session. Honolulu, Hawaii. WCPFC-SC3-EB SWG/IP-19.

Mundy-Taylor, V. and Crook, V. (2013). Into the Deep: Implementing CITES Measures for Commercially-Valuable Sharks and Manta Rays. TRAFFIC.

Murua, H., Coelho, R., Santos, M. N., Arrizabalaga, H., Yokawa, K., Romanov, E., Zhu, J. and F., K., Z. G., Bach, P., Chavance, P., Delgado de Molina, A. and J. Ruiz (2012) Preliminary Ecological Risk Assessment (ERA) for shark species caught in fisheries managed by the Indian Ocean Tuna Commission (IOTC). IOTC-2012-WPEB08-31 Rev_2. 16pp.

Murua, H., Santos, M.N., Chavance, P., Amande, J., Abascal, F.J., Ariz, J., Bach, P., Korta, M., Poisson, F., Coelho, R. and Seret, B. (2013) EU project for the provision of scientific advice for the purpose of the implementation of the EUPOA sharks: a brief overview of the results for Indian Ocean. *IOTC-2013-WPEB09-19 Rev_1*, 21 pp.

NMFS (2012) Stock Assessment and Fishery Evaluation report (SAFE) for Atlantic Highly Migratory Species. Silver Spring, MD., Atlantic Highly Migratory Species Management Division. NOAA Fisheries. U.S. Department of Commerce.

NMFS (2014) Stock Assessment and Fishery Evaluation (SAFE) Report for Atlantic Highly Migratory Species. Atlantic Highly Migratory Species Management Division. NOAA Fisheries. U.S. Department of Commerce.

Ramos-Cartelle, A., García-Cortés, B., Ortíz de Urbina, J., Fernández-Costa, J., González-González, I., Mejuto, J. (2012) Standardized catch rates of the oceanic whitetip shark (*Carcharhinus longimanus*) from observations of the Spanish longline fishery targeting swordfish in the Indian Ocean during the 1998-2011 period, IOTC-2012-WPEB08-27.

Rice, J. and Harley, S. (2012) Stock assessment of oceanic whitetip sharks in the western and central Pacific Ocean. Western and Central Pacific Fisheries Commission Scientific Committee Eighth Regular Session. WCPFC-SC8-2012/SA-WP-06 Rev 1., 53.

Rice, J., Tremblay-Boyer, L., Scott, R., Hare, S. and Tidd, A. (2015) Analysis of stock status and related indicators for key shark species of the Western Central Pacific Fisheries Commission.

Western and Central Pacific Fisheries Commission, Scientific Committee Eleventh Regular Session. WCPFC-SC11-2015/EB-WP-04-Rev 1, 146 pp.

Roman-Verdesoto, M. and Orozco-Zoller, M. (2005) Bycatches of sharks in the tuna purse-seine fishery of the eastern Pacific ocean reported by observers of the Inter-American Tropical Tuna Commission, 1993-2004. La Jolla, California, Inter-American Tropical Tuna Commission.

Romanov, E., Bach, P., Rabearisoa, N., Rabehagaso, N., Filippi, T. and Romanova, N. (2010) Pelagic elasmobranch diversity and abundance in the Indian Ocean: an analysis of long-term trends from research and fisheries longline data. IOTC-2010-WPEB-16. 19 pp.

Seki, T., Taniuchi, T., Nakano, H. and Shimizu, M. (1998) Age, growth and reproduction of the oceanic whitetip Shark from the Pacific Ocean. *Fisheries Science*, **64**, 14-20.

Semba, Y. and Yokawa, K. (2011) Trend of standardized CPUE of oceanic whitetip shark (*Carcharhinus longimanus*) caught by Japanese longline fishery in the Indian Ocean, IOTC-2011-WPEB07-35.

Storelli, M.M., Ceci, E., Storelli, A., Marcotrigiano, G.O. (2003) *Polychlorinated biphenyl, heavy metal and methylmercury residues in hammerhead sharks: contaminant status and assessment*, 46 Marine Pollution Bulletin. 1035-48 (2003).

Smith, S.E., Au, D.W. and Show, C. (1998) Intrinsic rebound potentials of 26 species of Pacific sharks. *Marine and Freshwater Research*, **49**, 663-678. Cortés, E. (2008) Comparative life history and demography of pelagic sharks. In: *Sharks of the open ocean: biology, fisheries and conservation*. M.D. Camhi, E.K. Pikitch and E.A. Babcock (eds): Blackwell Publishing Ltd. pp. 309-320.

Strasburg, D. (1958) Distribution, abundance, and habits of pelagic sharks in the Central Pacific ocean. . *Fishery Bulletin* 138 Washington, U.S. Govt. Print. Off., **58**, 335-361.

Tolotti, M.T., Travassos, P., Fredou, F.L., Wor, C., Andrade, H.A., Hazin, F. (2013) Size, distribution and catch rates of the oceanic whitetip shark caught by the Brazilian tuna longline fleet. *Fisheries Research* 143, 136-42.

Walsh, W.A. and Clarke, S.C. (2011) Analyses of catch data for oceanic whitetip and silky sharks reported by fishery observers in the Hawaii-based longline fishery in 1995–2010. Pacific Islands Fisheries Science Center Administrative Report H-11-10., 76 pp.

Williams, P. and Terawasi, P. (2011) Overview of tuna fisheries in the Western and Central Pacific Ocean, including economic conditions - 2010. *WCPFC-SC7-2011/GN WP-1*.

Zhang, X-J., Fang, H., Chen, C-Z., Qin, G-M., Yan, B-L., Xu, J. (2009) Biological and molecular characteristics of pathogenic *Vibrio harveyi*, *Chinese Journal of Veterinary Science*. Available at: http://en.cnki.com.cn/Article_en/CJFDTOTALZSYX200909007.htm.

